Volume Contents 2003

NUMBER 1

Contents

v Contributors to this issue

vii Graphical abstracts

TETRAHEDRON: ASYMMETRY REPORT NUMBER 54

E. Brenna, C. Fuganti and S. Serra 1 Enantioselective perception of chiral odorants

COMMUNICATIONS

G. J. A. Conceição, P. J. S. Moran and J. A. R. Rodrigues 43 Highly efficient extractive biocatalysis in the asymmetric reduction of an acyclic enone by the yeast *Pichia stipitis*

A. Bordier, P. Compain, O. R. Martin, K. Ikeda and N. Asano 47 First stereocontrolled synthesis and biological evaluation of 1,6-dideoxy-L-nojirimycin

C.-Y. Chu and B.-J. Uang 53 Catalytic enantioselective coupling of 2-naphthols by new chiral oxovanadium complexes bearing a self accelerating functional group

ARTICLES

A. Ghanem and V. Schurig 57 Lipase-catalyzed access to enantiomerically pure (*R*)- and (*S*)-*trans*-4-phenyl-3-butene-2-ol

Y. Zhang, C. Xu, J. Li and C. Yuan 63 Enzymatic synthesis of optically active δ-hydroxy-β-ketoalkanephosphonates

C. Böhm, W. F. Austin and D. Trauner 71 Enzymatic desymmetrization of a centrosymmetric diacetate

A. Li, G. Yue, Y. Li, X. Pan and T.-K. Yang 75 Total asymmetric synthesis of (7*S*,9*R*)-(+)-bisacumol

P. V. Murphy, C. McDonnell, L. Hämig, D. E. Paterson and R. J. K. Taylor 79 Confirmation of the structure of a glucono-1,4-lactone derivative obtained from silylation of glucono-1,5-lactone

Y.-S. Lee, Y.-H. Shin, Y.-H. Kim, K.-Y. Lee, C.-Y. Oh, S.-J. Pyun, H.-J. Park, J.-H. Jeong and W.-H. Ham 87 Stereoselective synthesis of (+)-spectaline

K. Li, Z. Zhou, L. Wang, Q. Chen, G. Zhao, Q. Zhou and C. Tang 95 Asymmetric carbonyl reduction with borane catalyzed by chiral phosphinamides derived from L-amino acid

S. Raghavan and S. C. Joseph 101 The sulfinyl moiety as an intramolecular nucleophile. Part 3: Synthesis of (−)-muricatacin

X.-W. Wu, K. Yuan, W. Sun, M.-J. Zhang and X.-L. Hou 107 Novel planar chiral *P,N*-[2.2]paracyclophane ligands: synthesis and application in palladium-catalyzed allylic alkylation

S. Velmathi, S. Swarnalakshmi and S. Narasimhan 113 Novel heterobimetallic catalysts for asymmetric Michael reactions

M. Clericuzio, I. Degani, S. Dughera and R. Fochi 119 Deracemization of thiol esters of α-arylpropionic acids

A. M. Daly and D. G. Gilheany 127 The synthesis and use in asymmetric epoxidation of metal salen complexes derived from enantiopure *trans*-cyclopentane- and cyclobutane-1,2-diamine

F. Fache and O. Piva — 139 Synthesis and applications of the first polyfluorous proline derivative
145 Corrigendum
A1 Stereochemistry abstracts
I Tetrahedron: Asymmetry reports
III Instructions to contributors
VII Cumulative author index

NUMBER 2

Contents

v Contributors to this issue
vii Graphical abstracts

TETRAHEDRON: ASYMMETRY REPORT NUMBER 55
M. North — 147 Synthesis and applications of non-racemic cyanohydrins

COMMUNICATIONS
R. Tsuji, M. Nakagawa and A. Nishida — 177 An efficient synthetic approach to optically active β-carboline derivatives via Pictet–Spengler reaction promoted by trimethylchlorosilane

O. I. Kolodiazhnyi, E. V. Gryshkun, N. V. Andrushko, M. Freytag, P. G. Jones and R. Schmutzler — 181 Asymmetric synthesis of chiral *N*-(1-methylbenzyl)aminophosphines

K. Soai, I. Sato, T. Shibata, S. Komiya, M. Hayashi, Y. Matsueda, H. Imamura, T. Hayase, H. Morioka, H. Tabira, J. Yamamoto and Y. Kowata — 185 Asymmetric synthesis of pyrimidyl alkanol without adding chiral substances by the addition of diisopropylzinc to pyrimidine-5-carbaldehyde in conjunction with asymmetric autocatalysis

U. Eilitz, F. Leßmann, O. Seidelmann and V. Wendisch — 189 Stereoselective synthesis of β^2-amino acids by Michael addition of diorgano zinc reagents to nitro acrylates

P. D. Rouge, A. G. Moglioni, G. Y. Moltrasio and R. M. Ortuño — 193 Stereoselective synthesis of chiral precursors to cyclobutane carbocyclic nucleosides and oligopeptides

J. Casas, A. Baeza, J. M. Sansano, C. Nájera and J. M. Saá — 197 Enantioselective cyanoformylation of aldehydes mediated by BINOLAM–AlCl as a monometallic bifunctional catalyst

ARTICLES
M. Murakami, H. Kamaya, C. Kaneko and M. Sato — 201 Synthesis of optically active 1,3-dioxin-4-one derivatives having a hydroxymethyl group at the 2-position and their use for regio-, diastereo-, and enantioselective synthesis of substituted cyclobutanols

G. P. Aguado, A. G. Moglioni and R. M. Ortuño — 217 Enantiodivergent synthesis of cyclobutyl-(*Z*)-α,β-dehydro-α-amino acid derivatives from (−)-*cis*-pinononic acid

Z. Kałuża and D. Mostowicz — 225 Synthesis of enantiopure 1,2-dihydroxyhexahydropyrroloisoquinolines as potential tools for asymmetric catalysis

S. A. Popov, Y. V. Gatilov, T. V. Rybalova and A. V. Tkachev — 233 Study of chiral β-enaminones prepared from pyrrolidine, cytisine, salsoline and 2-amino-1-(4-nitrophenyl)propane-1,3-diol: resolution of salsoline via diastereomeric modified carane-type β-enaminones

M. Kosior, M. Malinowska, J. Jóźwik, J.-C. Caille and J. Jurczak — 239 — Highly diastereoselective hetero-Diels–Alder reaction of buta-1,3-diene with *N*-glyoxyloyl-(2*R*)-bornane-10,2-sultam: an efficient synthesis of homochiral (*S*)-3-[2-{(methylsulfonyl)oxy}ethoxy]-4-(triphenylmethoxy)-1-butanol methanesulfonate

P. Holý, P. Sehnal, M. Tichý, J. Závada and I. Císařová — 245 — Self-assembly of chiral hydrogen-bonded grid layers from terephthalic Siamese twins

R. J. Kloetzing, M. Lotz and P. Knochel — 255 — New *P,N*-ferrocenyl ligands for rhodium-catalyzed hydroboration and palladium-catalyzed allylic alkylation

D. Skropeta and R. R. Schmidt — 265 — Chiral, non-racemic α-hydroxyphosphonates and phosphonic acids via stereoselective hydroxylation of diallyl benzylphosphonates

W. Stampfer, B. Kosjek, K. Faber and W. Kroutil — 275 — Biocatalytic oxidative kinetic resolution of *sec*-alcohols: stereocontrol through substrate-modification

T. Satoh, M. Yoshida, Y. Takahashi and H. Ota — 281 — A novel method for the asymmetric synthesis of 4,4-disubstituted 2-cyclopentenones from optically active 1-chlorovinyl *p*-tolyl sulfoxides and its application to the asymmetric total synthesis of (+)-α-cuparenone

A23 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 3

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

M. Juárez-Hernandez, D. V. Johnson, H. L. Holland, J. McNulty and A. Capretta — 289 — Lipase-catalyzed stereoselective resolution and desymmetrization of binaphthols

M. Amat, N. Llor, C. Escolano, M. Huguet, M. Pérez, E. Molins and J. Bosch — 293 — On the configuration of (3*R*,8a*S*)-5-oxo-3-phenyl-2,3,6,7,8,8a-hexahydro-5*H*-oxazolo[3,2-*a*]pyridine

ARTICLES

H. Huang, H. Chen, X. Hu, C. Bai and Z. Zheng — 297 — Structural probing of D-fructose derived ligands for asymmetric addition of diethylzinc to aldehydes

J. Kang, J. H. Lee and D. S. Lim — 305 — Stereoselective conjugate addition of diethylzinc to enones and nitroalkenes

D. Guieysse, C. Salagnad, P. Monsan and M. Remaud-Simeon — 317 — Lipase-catalyzed enantioselective transesterification toward esters of 2-bromo-tolylacetic acids

A. Kato, E. Kano, I. Adachi, R. J. Molyneux, A. A. Watson, R. J. Nash, G. W. J. Fleet, M. R. Wormald, H. Kizu, K. Ikeda and N. Asano — 325 — Australine and related alkaloids: easy structural confirmation by ^{13}C NMR spectral data and biological activities

S. Easwar and N. P. Argade — 333 — Amano PS-catalysed enantioselective acylation of (±)-α-methyl-1,3-benzodioxole-5-ethanol: an efficient resolution of chiral intermediates of the remarkable antiepileptic drug candidate, (−)-talampanel

A. Voituriez and E. Schulz 339 Synthesis of new sulfur-containing oxazoline ligands and their use in palladium-catalyzed allylic substitution

J. L. Vicario, D. Badía, L. Carrillo and E. Anakabe 347 A general procedure for the asymmetric synthesis of 3-aryl-1,2,3,4-tetrahydroisoquinolines

R. F. G. Fröhlich, A. A. Zabelinskaja-Mackova, M. H. Fechter and H. Griengl 355 Novel access to chiral 1,1′-disubstituted ferrocene derivatives via double stereoselective cyanohydrin synthesis exploiting the hydroxynitrile lyase from *Hevea brasiliensis*

T. H. Kurniadi, R. Bel Rhlid, M. A. Juillerat, M. Schüler and R. G. Berger 363 Enantiogenic synthesis of (*R*)-(−)-3-hydroxy-1-penten-4-one

P. Merino, T. Tejero, J. Revuelta, P. Romero, S. Cicchi, V. Mannucci, A. Brandi and A. Goti 367 A comparative study of the stereoselective addition of trimethylsilyl cyanide and diethylaluminum cyanide to chiral cyclic nitrones

Y. Caro, C. F. Masaguer and E. Raviña 381 Preparation of (*R*)-(−)- and (*S*)-(+)-3-hydroxymethyl-1-tetralone tosylates, key intermediates in the synthesis of new CNS drugs, via resolution of precursors

M. R. Saidi and N. Azizi 389 Highly diastereoselective aminoalkylation of naphthols with chiral amines mediated by lithium perchlorate solution in diethyl ether

F. Piccinelli, G. Porzi, M. Sandri and S. Sandri 393 Stereocontrolled synthesis of enantiomerically pure unsaturated analogues of 2,6-DAP. Part 5

A. Avenoza, J. H. Busto, C. Cativiela, J. M. Peregrina, D. Sucunza and M. M. Zurbano 399 Synthesis of enantiopure (αMe)Dip and other α-methylated β-branched amino acid derivatives

A49 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 4

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

V. V. Thakur and A. Sudalai 407 WO_3–30% H_2O_2–cinchona alkaloids: a new heterogeneous catalytic system for the asymmetric oxidation of sulfides and the kinetic resolution of racemic sulfoxides

R. Sakurai and K. Sakai 411 Resolution of racemic *cis*-1-amino-2-indanol by diastereomeric salt formation with (*S*)-2-phenylpropionic acid

J. Kang, T. H. Kim, K. H. Yew and W. K. Lee 415 The effect of face-blocking in the enantioselective aza-Claisen rearrangement of allylic imidates

ARTICLES

P. Radha Krishna, B. Lavanya and G. V. M. Sharma 419 Stereoselective synthesis of *C*-phenyl D- and L-*glycero* heptopyranosides

J. M. Palomo, C. Mateo, G. Fernández-Lorente, L. F. Solares, M. Diaz, V. M. Sánchez, M. Bayod, V. Gotor, J. M. Guisan and R. Fernandez-Lafuente — 429 Resolution of (±)-5-substituted-6-(5-chloropyridin-2-yl)-7-*oxo*-5,6-dihydropyrrolo[3,4*b*]pyrazine derivatives-precursors of (*S*)-(+)-Zopiclone, catalyzed by immobilized *Candida antarctica B* lipase in aqueous media

J. Granander, R. Sott and G. Hilmersson — 439 Chiral lithium amido sulfide ligands for asymmetric addition reactions of alkyllithium reagents to aldehydes

G. Lu, X. Li, G. Chen, W. L. Chan and A. S. C. Chan — 449 Effective activation of chiral BINOL/Ti(O*i*Pr)$_4$ catalyst with phenolic additives for the enantioselective alkynylation of aldehydes

B. A. Shinkre, V. G. Puranik, B. M. Bhawal and A. R. A. S. Deshmukh — 453 Ephedrine derived reusable chiral auxiliary for the synthesis of optically pure 3-hydroxy-4-aryl-β-lactams

T. Danelli, R. Annunziata, M. Benaglia, M. Cinquini, F. Cozzi and G. Tocco — 461 Immobilization of catalysts derived from *Cinchona* alkaloids on modified poly(ethylene glycol)

M.-L. Bennasar, E. Zulaica, Y. Alonso and J. Bosch — 469 Nucleophilic addition to chiral pyridinium salts: stereoselective synthesis of (−)-N_a-methylervitsine

L. Minuti, A. Taticchi, A. Marrocchi, D. Lanari, A. Broggi and E. Gacs-Baitz — 481 Synthesis of enantiopure angularly condensed [2.2]paracyclophanes containing five-membered rings

J. L. Vicario, D. Badía and L. Carrillo — 489 An easy and straightforward approach to the asymmetric synthesis of isoflavanones

F.-J. Volk, M. Wagner and A. W. Frahm — 497 Cyclobutane amino acids (CBAAs): asymmetric Strecker synthesis of enantiopure *cis*- and *trans*-2,4-methanovalines

F. J. Moreno-Dorado, F. M. Guerra, M. J. Ortega, E. Zubía and G. M. Massanet — 503 Enantioselective synthesis of arylmethoxyacetic acid derivatives

T. Suzuka, M. Kawatsura, A. Okada and T. Hayashi — 511 Palladium-catalyzed asymmetric allylic substitution with a cyclopentadienide: asymmetric synthesis of metallocenes

D. M. Casper and S. R. Hitchcock — 517 An improved procedure for the asymmetric aldol reaction of the titanium enolate of an N_3-propionyl-3,4,5,6-tetrahydro-2*H*-1,3,4-oxadiazin-2-one

523 Erratum

A73 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 5

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATION

S. K. Patel, S. Py, S. U. Pandya, P. Y. Chavant and Y. Vallée — 525 Diastereoselective addition of terminal alkynes to chiral nitrones: asymmetric synthesis of propargylic *N*-hydroxylamines

ARTICLES

N. Yoshida, M. Aono, T. Tsubuki, K. Awano and T. Kobayashi — 529 Enantioselective synthesis of a chiral pyridazinone derivative by lipase-catalyzed hydrolysis

T. Ohta, H. Sasayama, O. Nakajima, N. Kurahashi, T. Fujii and I. Furukawa	537	Asymmetric allylic substitution catalyzed by palladium–Yliphos complex
J. M. Torres-Valencia, D. L. Quintero-Mogica, G. I. León, O. R. Suárez-Castillo, J. R. Villagómez-Ibarra, E. Maldonado, C. M. Cerda-García-Rojas and P. Joseph-Nathan	543	The absolute configuration of cuauhtemone and related compounds
F. Yuste, A. Díaz, B. Ortiz, R. Sánchez-Obregón, F. Walls and J. L. García Ruano	549	A stereodivergent approach to *syn*- and *anti*-β-hydroxy-γ-amino acids. Enantioselective synthesis of *N*-Boc-statine and *N*-Boc-3-epistatine mediated by sulfoxides
K. Hirose, A. Fujiwara, K. Matsunaga, N. Aoki and Y. Tobe	555	Preparation of phenolic chiral crown ethers and podands and their enantiomer recognition ability toward secondary amines
J. D. Hull, F. Scheinmann and N. J. Turner	567	Synthesis of optically active methadones, LAAM and bufuralol by lipase-catalysed acylations
M. A. Iglesias-Arteaga, E. Castellanos and E. Juaristi	577	Alternative procedure for the synthesis of enantiopure 1-benzoyl-2(*S*)-*tert*-butyl-3-methylperhydropyrimidin-4-one, a useful starting material for the enantioselective synthesis of α-substituted β-amino acids
V. V. Thakur, M. D. Nikalje and A. Sudalai	581	Enantioselective synthesis of (*R*)-(−)-baclofen via Ru(II)–BINAP catalyzed asymmetric hydrogenation
J. Terauchi and D. P. Curran	587	*N*-Allylation of anilides with chiral palladium catalysts: the first catalytic asymmetric synthesis of axially chiral anilides
H. Pajouhesh, K. Curry, H. Pajouhesh, M. H. Meresht and B. Patrick	593	Stereospecific synthesis and absolute configuration of the (2*S*,3*S*,4*S*)-isomer of 2-methyl-2-(carboxycyclopropyl)glycine (MCCG)
A. Patti and S. Pedotti	597	Screening of chiral ferrocenyl amino alcohols as ligands for ruthenium-catalysed transfer hydrogenation of ketones
M. López-García, I. Alfonso and V. Gotor	603	Desymmetrization of dimethyl 3-substituted glutarates through enzymatic ammonolysis and aminolysis reactions
A. Iuliano and P. Scafato	611	Application of deoxycholic acid-based copper–phosphite complexes as ligands in the enantioselective conjugate addition of diethylzinc to acyclic enones
C. Paizs, M. Toşa, C. Majdik, P. Tähtinen, F. D. Irimie and L. T. Kanerva	619	*Candida antarctica* lipase A in the dynamic resolution of novel furylbenzothiazol-based cyanohydrin acetates
A. K. Ghosh and H. Lei	629	An enantioselective synthesis of the core unit of the non-nucleoside reverse transcriptase inhibitor taurospongin A
	A101	Stereochemistry abstracts
	I	Instructions to contributors
	V	Cumulative author index

NUMBER 6

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

K. Itoh, Y. Oderaotoshi and S. Kanemasa 635 Enantioselective Michael addition reactions of malononitrile catalyzed by chiral Lewis acid and achiral amine catalysts

D. Hodgson and P. H. Buist 641 A chemoenzymatic route to quasisymmetrical chiral sulfoxides and their phospholipid derivatives

S. V. Malhotra 645 Lithium diisopinocampheylamide: a new and highly effective chiral catalyst in the enantioselective deprotonation of *meso*-epoxides

ARTICLES

S. C. Halls and N. G. Lewis 649 Reversed-phase HPLC lignan chiral analysis with laser polarimetric detection

C. Da, Z. Han, M. Ni, F. Yang, D. Liu, Y. Zhou and R. Wang 659 A convenient synthesis of piperidine-based β-amino alcohols from L-Phe and highly enantioselective addition of diethyl zinc to aldehydes

N. R. Pedersen, R. Wimmer, R. Matthiesen, L. H. Pedersen and A. Gessesse 667 Synthesis of sucrose laurate using a new alkaline protease

M. Hirnschall, M. Treu, K. Mereiter, C. Hametner, J. Fröhlich and U. Jordis 675 Synthesis and stereoselective dealkylation of *N*-chiral quarternary *N*-alkyl galanthaminium halides

J. E. D. Martins, J. Alifantes, A. R. Pohlmann and V. E. U. Costa 683 Study of the kinetic resolution of (±)-10-*exo*-hydroxy-pentacyclo-[6.2.1.1^{3,6}.0^{2,7}.0^{5,9}]dodeca-4-one by lipase catalysis and the intramolecular racemization of the pure enantiomer by thermal dyotropic reaction

F. Palacios, D. Aparicio, A. M. Ochoa de Retana, J. M. de los Santos, J. I. Gil and R. López de Munain 689 Asymmetric synthesis of 2*H*-aziridine phosphonates, and α- or β-amino-phosphonates from enantiomerically enriched 2*H*-azirines

X. Chen, X. Ren, K. Peng, X. Pan, A. S. C. Chan and T.-K. Yang 701 A facile enantioselective approach to neolignans

C. J. Chapman, C. G. Frost, M. P. Gill-Carey, G. Kociok-Köhn, M. F. Mahon, A. S. Weller and M. C. Willis 705 Diphosphine mono-sulfides: readily available chiral monophosphines

J. V. Comasseto, Á. T. Omori, L. H. Andrade and A. L. M. Porto 711 Bioreduction of fluoroacetophenones by the fungi *Aspergillus terreus* and *Rhizopus oryzae*

M. I. Colombo, J. Zinczuk, M. L. Bohn and E. A. Rúveda 717 Detours en route to a total synthesis of (+)-cassiol

F. W. Lichtenthaler, M. Lergenmüller, S. Peters and Z. Varga 727 *manno*- versus *gluco*-Selectivity in reductions of 2-keto-β-D-*arabino*-hexo-pyranosides

R. R. Gadikota, A. I. Keller, C. S. Callam and T. L. Lowary 737 Efficient syntheses of *trans*-(+)-laurediol from carbohydrate precursors

S. K. Taylor, M. Ivanovic, L. J. Simons and M. M. Davis 743 An efficient asymmetric synthesis of key intermediates in the synthesis of aphanorphine and eptazocine

S. M. Lait, M. Parvez and B. A. Keay 749 Synthesis of a 1,3-spiro-amino-alcohol-derived chiral auxiliary and its application to Diels–Alder reactions

J. M. Lukesh and W. A. Donaldson 757 Synthesis of (+)-decarestrictine L

A131 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 7

Special Issue

Catalytic Asymmetric Carbene Transfer Reactions

Guest editor: Huw M. L. Davies

Department of Chemistry, University at Buffalo, The State University of New York, Buffalo, NY 14260-3000, USA

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
	763	Preface
M. Schinnerl, C. Böhm, M. Seitz and O. Reiser	765	New bis(oxazoline) ligands with secondary binding sites for the asymmetric cyclopropanation of furans
E. Díez-Barra, J. M. Fraile, J. I. García, E. García-Verdugo, C. I. Herrerías, S. V. Luis, J. A. Mayoral, P. Sánchez-Verdú and J. Tolosa	773	Polymer immobilization of bis(oxazoline) ligands using dendrimers as cross-linkers
P. Müller, Y. Allenbach and E. Robert	779	Rhodium(II)-catalyzed olefin cyclopropanation with the phenyliodonium ylide derived from Meldrum's acid
J. Pérez-Prieto, S.-E. Stiriba, E. Moreno and P. Lahuerta	787	A highly regio-, diastereo- and enantioselective intramolecular cyclopropanation reaction of a racemic α-diazo ketone catalyzed by chiral *ortho*-metalated dirhodium(II) compounds
R. T. Buck, D. M. Coe, M. J. Drysdale, L. Ferris, D. Haigh, C. J. Moody, N. D. Pearson and J. B. Sanghera	791	Asymmetric rhodium carbene insertion into the Si–H bond: identification of new dirhodium(II) carboxylate catalysts using parallel synthesis techniques
H. Tsutsui, Y. Yamaguchi, S. Kitagaki, S. Nakamura, M. Anada and S. Hashimoto	817	Dirhodium(II) tetrakis[*N*-tetrafluorophthaloyl-(*S*)-*tert*-leucinate]: an exceptionally effective Rh(II) catalyst for enantiotopically selective aromatic C–H insertions of diazo ketoesters
B. Saha, T. Uchida and T. Katsuki	823	Asymmetric intramolecular cyclopropanation of diazo compounds with metallosalen complexes as catalyst: structural tuning of salen ligand
P.-F. Teng, T.-S. Lai, H.-L. Kwong and C.-M. Che	837	Asymmetric inter- and intramolecular cyclopropanations of alkenes catalyzed by rhodium D_4-porphyrin: a comparison of rhodium- and ruthenium-centred catalysts
C. Bonaccorsi, S. Bachmann and A. Mezzetti	845	Electronic tuning of the PNNP ligand for the asymmetric cyclopropanation of olefins catalysed by [RuCl(PNNP)]$^+$
S. Iwasa, S. Tsushima, K. Nishiyama, Y. Tsuchiya, F. Takezawa and H. Nishiyama	855	Catalytic asymmetric cyclopropanation of alkenes with diazoesters in protic and biphasic media
A. B. Charette, M. K. Janes and H. Lebel	867	Bis(oxazoline)·copper(I)-catalyzed enantioselective cyclopropanation of cinnamate esters with diazomethane

J. D. Moore and P. R. Hanson — 873 — Substituent effects in the double diastereotopic differentiation of α-diazophosphonates via intramolecular cyclopropanation

T. Sugimura, A. Mori, A. Tai, T. Tei, Y. Sakamoto and T. Okuyama — 881 — Chiral and flexible 2,4-pentanediol-tethered cyclopropanation of olefins with a carbenoid derived from a diazo ester to construct three stereogenic centers

X. Zhang, M. Ma and J. Wang — 891 — Catalytic asymmetric [2,3] sigmatropic rearrangement of sulfur ylides generated from carbenoids and propargyl sulfides

A. G. H. Wee, Q. Shi, Z. Wang and K. Hatton — 897 — Diastereoselective rhodium(II)-catalyzed sulfonium ylide formation-[2,3]-sigmatropic rearrangement reaction of chiral non-racemic allylic sulfides

A. V. Novikov, A. Sabahi, A. M. Nyong and J. D. Rainier — 911 — Diastereoselective synthesis of quaternary substituted thioindolines from sulfur ylide intermediates

K. W. Glaeske, B. N. Naidu and F. G. West — 917 — Stereoselective formation and rearrangement of morpholinium ylides derived from copper carbenoids

D. M. Hodgson, A. H. Labande, R. Glen and A. J. Redgrave — 921 — Catalytic enantioselective intermolecular cycloadditions of a 2-diazo-3,6-diketoester-derived carbonyl ylide with alkyne and strained alkene dipolarophiles

M. P. Doyle and A. J. Catino — 925 — A short stereoselective synthesis of (+)- and (−)-2-oxabicyclo[3.3.0]oct-6-en-3-one by intramolecular carbon–hydrogen insertion catalyzed by chiral dirhodium(II) carboxamidates

D. J. Wardrop, R. E. Forslund, C. L. Landrie, A. I. Velter, D. Wink and B. Surve — 929 — Template-directed C–H activation: development and application to the total synthesis of 7-episordidin

H. M. L. Davies and Q. Jin — 941 — Intermolecular C–H activation at benzylic positions: synthesis of (+)-imperanene and (−)-α-conidendrin

A157 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 8

Contents

v Contributors to this issue

vii Graphical abstracts

TETRAHEDRON: ASYMMETRY REPORT NUMBER 56

M. C. Perry and K. Burgess — 951 — Chiral *N*-heterocyclic carbene-transition metal complexes in asymmetric catalysis

COMMUNICATIONS

J.-C. Jullian, X. Franck, S. Latypov, R. Hocquemiller and B. Figadère — 963 — NMR determination of absolute configuration of α-acyloxy ketones

Y. Ohtsuka, T. Ikeno and T. Yamada — 967 — Catalytic enantioselective protonation of cobalt–enolate equivalents generated by 1,4-reduction with borohydride

H.-X. Wei, D. Chen, X. Xu, G. Li and P. W. Paré — 971 — Asymmetric synthesis of chiral β-iodo Baylis–Hillman esters using MgI_2 as promoter via a one-pot three-component reaction

I. Sato, D. Omiya, H. Igarashi, K. Kato, Y. Ogi, K. Tsukiyama and K. Soai — 975 — Relationship between the time, yield, and enantiomeric excess of asymmetric autocatalysis of chiral 2-alkynyl-5-pyrimidyl alkanol with amplification of enantiomeric excess

ARTICLES

J. Escalante and M. A. González-Tototzin — 981 — Synthesis, resolution and absolute configuration of *trans* 4,5-diphenylpyrrolidin-2-one: a possible chiral auxiliary

J. Wu, C. C. Pai, W. H. Kwok, R. W. Guo, T. T. L. Au-Yeung, C. H. Yeung and A. S. C. Chan — 987 Studies on the rhodium- and ruthenium-catalyzed asymmetric hydrogenation of α-dehydroamino acids using a family of chiral dipyridylphosphine ligand (P-Phos)

A. Bongini, M. Panunzio, E. Tamanini, G. Martelli, P. Vicennati and M. Monari — 993 Lewis acid-catalyzed electrocyclization of 2-aza-1,3-butadienes to *NH*-β-lactams

X. Chen, D.-M. Du and W.-T. Hua — 999 Synthesis of novel chiral polyamide macrocycles containing pyridyl side-arms and their molecular recognition properties

J. G. Fernández-Bolaños, V. Ulgar, I. Maya, J. Fuentes, Mª J. Diánez, Mª D. Estrada, A. López-Castro and S. Pérez-Garrido — 1009 Synthesis of new *C*-sulfosugars and *C*-sulfoalditols: Amadori rearrangement of 6-*C*-sulfo-D-fucose

A. Maly, B. Lejczak and P. Kafarski — 1019 Quinine as chiral discriminator for determination of enantiomeric excess of diethyl 1,2-dihydroxyalkanephosphonates

I. Bitter, É. Kőszegi, A. Grün, P. Bakó, K. Pál, A. Grofcsik, M. Kubinyi, B. Balázs and G. Tóth — 1025 Synthesis of chiral 1,3-calix[4](crown-6) ethers as potential mediators for asymmetric recognition processes

A. Avenoza, J. H. Busto, F. Corzana, J. M. Peregrina, D. Sucunza and M. M. Zurbano — 1037 Diastereoselective synthesis of protected 4-*epi*-vancosamine from (*S*)-*N*-Boc-*N*,*O*-isopropylidene-α-methylserinal

E. Lindner, A. Ghanem, I. Warad, K. Eichele, H. A. Mayer and V. Schurig — 1045 Asymmetric hydrogenation of an α,β-unsaturated ketone by diamine(ether–phosphine)ruthenium(II) complexes and lipase-catalyzed kinetic resolution: a consecutive approach

T. Buhse — 1055 A tentative kinetic model for chiral amplification in autocatalytic alkylzinc additions

M. Truong, F. Lecornué and A. Fadel — 1063 First synthesis of (1*S*,2*S*)- and (1*R*,2*R*)-1-amino-2-isopropylcyclobutanecarboxylic acids by asymmetric Strecker reaction from 2-substituted cyclobutanones

Y. Wu, L. Yang, X. Cui, C. Du and Y. Zhu — 1073 Synthesis of novel chiral tellurium complexes by redox reaction of planar chiral cyclomercurated ferrocenylimines with tellurium powder and X-ray crystal structure of $[TeCl\{C_5H_5FeC_5H_3C(CH_3)=N\text{-}C_6H_4\text{-}4\text{-}CH_3\}]$

A. K. Yadav, M. Manju and P. R. Chhinpa — 1079 Enantioselective cathodic reduction of some prochiral ketones in the presence of (−)-*N*,*N*′-dimethylquininium tetrafluoroborate at mercury cathode

A183 Stereochemistry abstracts

I Tetrahedron: Asymmetry reports

III Instructions to contributors

VII Cumulative author index

NUMBER 9

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

C. Mouriès, B. Deguin, F. Lamari, M.-J. Foglietti, F. Tillequin and M. Koch 1083 Homochiral rigid γ-amino acid glycosides from aucubin

I. Gergely, C. Hegedüs, H. Gulyás, Á. Szöllősy, A. Monsees, T. Riermeier and J. Bakos 1087 Enantioselective hydrogenation catalyzed by highly active rhodium complexes of chiral phosphites with atropisomeric moieties

S. Raimondi, L. Forti, D. Monti and S. Riva 1091 Kinetic resolutions of racemic amines and alcohols catalyzed by an industrial glutaryl-7-aminocephalosporanic acid acylase with unexpected broad substrate specificity

ARTICLES

M. Tiecco, L. Testaferri, F. Marini, S. Sternativo, C. Santi, L. Bagnoli and A. Temperini 1095 Synthesis of enantiomerically pure 1,4-dioxanes from alkenes promoted by organoselenium reagents

M. Yus, D. J. Ramón and O. Prieto 1103 Synthesis of new C_2-symmetrical bis(hydroxycamphorsulfonamide) ligands and their application in the enantioselective addition of dialkylzinc reagents to aldehydes and ketones

H. Brunner, M. Schönherr and M. Zabel 1115 Enantioselective catalysis. Part 148: Carbohydrate-derived oxime ethers stable towards hydrolysis—syntheses of ligands and complexes and a study of their catalytic properties

J. Wehbe, V. Rolland, M. L. Roumestant and J. Martinez 1123 Glutamate transporter blockers: enantiomerically pure (2*S*,3*S*)- and (2*S*,3*R*)-3-methyl glutamic acids

J. Ortiz, X. Ariza and J. Garcia 1127 Stereoselective synthesis of musclides A1, A2 and B

A. Pezzella, D. Vogna and G. Prota 1133 Synthesis of optically active tetrameric melanin intermediates by oxidation of the melanogenic precursor 5,6-dihydroxyindole-2-carboxylic acid under biomimetic conditions

M. Rivard, F. Guillen, J.-C. Fiaud, C. Aroulanda and P. Lesot 1141 Efficient enantiodiscrimination of chiral monophosphine oxides and boranes by phosphorus coupled ^{13}C NMR spectroscopy in the presence of chiral ordering agents

F.-D. Boyer, T. Prangé and P.-H. Ducrot 1153 Synthesis of agarofuran antifeedants. Part 6: Enantioselective synthesis of a key decalinic intermediate

A. Kulesza, A. Mieczkowski, J. Romański and J. Jurczak 1161 Asymmetric addition of titanium and sodium alkoxides to chiral imines

C. Tanyeli and S. Özçubukçu 1167 The first enantioselective synthesis of chiral norbornane-type 1,4-diamine ligand

T. Mecozzi, M. Petrini and R. Profeta 1171 Reactivity of chiral exocyclic *N*-acyliminium ions with aromatic derivatives

J. Garcés, P. Franco, L. Oliveros and C. Minguillón 1179 Mixed cellulose-derived benzoates bonded on allylsilica gel as HPLC chiral stationary phases: influence of the introduction of an aromatic moiety in the fixation substituent

M. Baños, E. Román and J. A. Serrano 1187 Studies on the reactivity of (pentitol-1-yl)nitrocyclohexadienes with acetyl chloride in methanol

D. Cunningham, D. H. Grayson, P. McArdle and J. J. Walsh 1197 The bromination of (−)-camphorquinone

R. J. Tennant-Eyles, B. G. Davis and A. J. Fairbanks 1201 Solid phase peptide templated glycosidic bond formation

G. D. Coxon, J. R. Al-Dulayymi, M. S. Baird, S. Knobl, E. Roberts and D. E. Minnikin 1211 The synthesis of (11*R*,12*S*)-lactobacillic acid and its enantiomer

R. Akkari, M. Calmès, D. Di Malta, F. Escale and J. Martinez 1223 (*S*)-(3-Hydroxy-4,4-dimethyl-2-oxopyrrolidin-1-yl) acetic acid as a solid supported chiral auxiliary in the asymmetric synthesis of β^2-homoarylglycines

A205 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 10

Contents

v Contributors to this issue

vii Graphical abstracts

TETRAHEDRON: ASYMMETRY REPORT NUMBER 57

C. M. García-Pajón, R. Hernández-Galán and I. G. Collado 1229 Biotransformations by *Colletotrichum* species

COMMUNICATIONS

N. Valls, M. Vallribera, M. Font-Bardía, X. Solans and J. Bonjoch 1241 Synthesis of the proposed core of aeruginosins 205: the new α-amino acid (2*S*,3a*S*,6*R*,7a*S*)-2-carboxy-6-chlorooctahydroindole

W. H. Midura, J. A. Krysiak and M. Mikołajczyk 1245 The first synthesis of enantiomerically pure cyclopropylphosphonate analogues of nucleotides via asymmetric cyclopropanation of chiral (1-diethoxyphosphoryl)vinyl *p*-tolyl sulfoxide

N. Kanoh, A. Tomatsu, T. Nishikawa, M. Ide, T. Tsuchida, K. Isshiki and M. Nakata 1251 Practical deracemization of NM-3, a synthetic angiogenesis inhibitor

ARTICLES

E. C. S. Brenelli and J. L. N. Fernandes 1255 Stereoselective acylations of 1,2-azidoalcohols with vinyl acetate, catalyzed by lipase Amano PS

A. Johansson, P. Abrahamsson and Ö. Davidsson 1261 Solid-phase supported chiral lithium amides used in deprotonation reactions

Y. Liang, S. Gao, H. Wan, J. Wang, H. Chen, Z. Zheng and X. Hu 1267 Syntheses and resolutions of new chiral biphenyl backbones: 2-amino-2′-hydroxy-6,6′-dimethyl-1,1′-biphenyl and 2-amino-2′-hydroxy-4,4′,6,6′-tetramethyl-1,1′-biphenyl

Y. Xing and J. Ning 1275 First syntheses of D-mannose penta- and decasaccharides, the repeating unit and its dimer of the cell-wall mannan of *Candida kefyr* IFO 0586

H. Huang, Z. Zheng, H. Chen, C. Bai and J. Wang 1285 Readily available new pyridyl alcohols derived from D-glucose as ligands for the enantioselective addition of diethylzinc to aldehydes

G. Hanquet, X. J. Salom-Roig, L. Gressot-Kempf, S. Lanners and G. Solladié 1291 New insights into the reduction of β,δ-diketo-sulfoxides

M. Kwit and J. Gawronski 1303 Chiral calixsalen-type macrocycles from *trans*-1,2-diaminocyclohexane

A. Couture, E. Deniau, P. Grandclaudon and S. Lebrun 1309 Asymmetric synthesis of (+)- and (−)-latifine

L. Thunberg and S. Allenmark 1317 Asymmetric cycloaddition routes to both enantiomers of *trans*-9,10-dihydro-9,10-ethanoanthracene-11,12-dicarboxylic acid

M. Kurokawa, T. Shindo, M. Suzuki, N. Nakajima, K. Ishihara and T. Sugai 1323 Enzyme-catalyzed enantiomeric resolution of *N*-Boc-proline as the key-step in an expeditious route towards RAMP

A. S. Demir, Ö. Sesenoglu, H. Aksoy-Cam, H. Kaya and K. Aydogan 1335 Enantioselective synthesis of both enantiomers of 2-amino-2-(2-furyl)ethan-1-ol as a flexible building block for the preparation of serine and azasugars

A. Musidlowska-Persson and U. T. Bornscheuer 1341 Site directed mutagenesis of recombinant pig liver esterase yields mutants with altered enantioselectivity

A. Iuliano, C. Lecci and P. Salvadori 1345 The *s*-triazine moiety as a scaffold for connecting different chiral auxiliaries: synthesis of new biselector CSPs for enantioselective chromatography

W. Adam, A. K. Beck, A. Pichota, C. R. Saha-Möller, D. Seebach, N. Vogl and R. Zhang 1355 Control of enantioselectivity through a hydrogen-bonded template in the vanadium(V)-catalyzed epoxidation of allylic alcohols by optically active hydroperoxides

M. K. Gurjar, A. M. S. Murugaiah, P. Radhakrishna, C. V. Ramana and M. S. Chorghade 1363 A novel and simple asymmetric synthesis of CMI-977 (LDP-977): a potent anti-asthmatic drug lead

S. Raghavan and M. A. Rasheed 1371 Sulfinyl moiety as an internal nucleophile. Part 6: Stereospecific synthesis of 3-amino-2-hydroxy-4-phenylbutanoate

T. I. Danilova, V. I. Rozenberg, E. V. Vorontsov, Z. A. Starikova and H. Hopf 1375 A new family of planar-chiral symmetric and unsymmetric salens based on the [2.2]paracyclophane skeleton

Y. Fujima, Y. Hirayama, M. Ikunaka and Y. Nishimoto 1385 A scalable chemoenzymatic preparation of (*R*)-tetrahydrofuran-2-carboxylic acid

K. Tsubaki, H. Morikawa, H. Tanaka and K. Fuji 1393 Convenient synthesis and efficient resolution of 3,3′-bis(benzyloxy)-1,1′-binaphthalene-2,2′-diol

N. S. Goulioukina, T. M. Dolgina, G. N. Bondarenko, I. P. Beletskaya, M. M. Ilyin, V. A. Davankov and A. Pfaltz 1397 Highly enantioselective hydrogenation of α,β-unsaturated phosphonates with iridium–phosphinooxazoline complex: synthesis of a phosphorus analogue of naproxen

N. Ma and D. Ma 1403 Asymmetric synthesis of (−)-deoxoprosophylline

A241 Stereochemistry abstracts

I Tetrahedron: *Asymmetry* reports

III Instructions to contributors

VII Cumulative author index

NUMBER 11

Contents

v Contributors to this issue

vii Graphical abstracts

TETRAHEDRON: ASYMMETRY REPORT NUMBER 58

D. E. J. E. Robinson and S. D. Bull 1407 Kinetic resolution strategies using non-enzymatic catalysts

COMMUNICATIONS

R. Settambolo, G. Guazzelli and R. Lazzaroni 1447 Intramolecular cyclodehydration of (4*S*)-(+)-4-carboxyethyl-4-(pyrrol-1-yl)butanal as the key step in the formal synthesis of (*S*)-(−)-Myrmicarin 217

A. Caselli, G. B. Giovenzana, G. Palmisano, M. Sisti and T. Pilati 1451 Synthesis of C_2-symmetrical diamine based on (1*R*)-(+)-camphor and application to oxidative aryl coupling of naphthols

S. E. Gibson, H. Ibrahim, C. Pasquier and V. M. Swamy 1455 A versatile route to planar chiral diphosphines and their application in the asymmetric Heck reaction

Z. Pakulski, O. M. Demchuk, R. Kwiatosz, P. W. Osiński, W. Świerczyńska and K. M. Pietrusiewicz 1459 The classical Kagan's amides are still practical NMR chiral shift reagents: determination of enantiomeric purity of *P*-chirogenic phospholene oxides

M. P. Krzemiński and M. Zaidlewicz	1463	Asymmetric reduction of ketoxime derivatives and *N*-alkylketimines with borane–oxazaborolidine adducts
		ARTICLES
H. Dai, X. Hu, H. Chen, C. Bai and Z. Zheng	1467	New efficient *P,N,O*-tridentate ligands for Ru-catalyzed asymmetric transfer hydrogenation
M. Osorio-Olivares, M. C. Rezende, S. Sepúlveda-Boza, B. K. Cassels, R. F. Baggio and J. C. Muñoz-Acevedo	1473	A two-step method for the preparation of homochiral cathinones
A. M. Gil, E. Buñuel, M. D. Díaz-de-Villegas and C. Cativiela	1479	Olefination of methyl (1*S*,2*R*,4*R*)-*N*-benzoyl-2-formyl-7-azabicyclo[2.2.1]-heptane-1-carboxylate, a synthetic approach to new conformationally constrained prolines
A. S. Demir, A. Aybey, Ö. Sesenoglu and F. Polat	1489	Chemoenzymatic synthesis of both enantiomers of 3-hydroxy-2,3-dihydro-4*H*-chromen-4-one
C. Paizs, M. Toşa, C. Majdik, P. Moldovan, L. Novák, P. Kolonits, A. Marcovici, F.-D. Irimie and L. Poppe	1495	Optically active 1-(benzofuran-2-yl)ethanols and ethane-1,2-diols by enantiotopic selective bioreductions
P. Müller, F. Lacrampe and G. Bernardinelli	1503	Rhodium(II)-catalyzed enantioselective intramolecular CH insertion with alkyl diazo(trialkylsilyl) acetates
G. Uccello-Barretta, F. Mirabella, F. Balzano and P. Salvadori	1511	C11 versus C9 carbamoylation of quinine: a new class of versatile polyfunctional chiral solvating agents
S. Doherty, E. G. Robins, I. Pál, C. R. Newman, C. Hardacre, D. Rooney and D. A. Mooney	1517	Polymer-supported phosphoramidites: highly efficient and recyclable catalysts for asymmetric hydrogenation of dimethylitaconate and dehydroamino acids and esters
M. Kawasaki, H. Kakuda, M. Goto, S. Kawabata and T. Kometani	1529	Asymmetric synthesis of 2-substituted chroman-4-ones using lipase-catalyzed kinetic resolutions
L. Berlicki, E. Rudzińska and P. Kafarski	1535	Enantiodifferentiation of aminophosphonic and aminophosphinic acids with α- and β-cyclodextrins
H. Iding, B. Wirz and R.-M. Rodríguez Sarmiento	1541	Chemoenzymatic preparation of non-racemic *N*-Boc-piperidine-3,5-dicarboxylic acid 3-methyl esters and their 5-hydroxymethyl derivatives
R. M. Rodríguez Sarmiento, B. Wirz and H. Iding	1547	Chemoenzymatic preparation of non-racemic *N*-Boc-pyrrolidine-3,4-dicarboxylic acid 3-ethyl esters and their 4-hydroxymethyl derivatives
T. Govender, H. K. Hariprakasha, H. G. Kruger and A. P. Marchand	1553	Synthesis and transport studies of a new class of cage-annulated chiral macrocycles
M. Kaik and J. Gawroński	1559	Facile monoprotection of *trans*-1,2-diaminocyclohexane
A. Paju, T. Kanger, T. Pehk, R. Lindmaa, A.-M. Müürisepp and M. Lopp	1565	Asymmetric oxidation of 3-alkyl-1,2-cyclopentanediones. Part 2: Oxidative ring cleavage of 3-alkyl-1,2-cyclopentanediones: synthesis of 2-alkyl-γ-lactone acids
A. Kamal, M. Sandbhor and A. A. Shaik	1575	Application of a one-pot lipase resolution strategy for the synthesis of chiral γ- and δ-lactones
M. Sharfuddin, A. Narumi, Y. Iwai, K. Miyazawa, S. Yamada, T. Kakuchi and H. Kaga	1581	Lipase-catalyzed dynamic kinetic resolution of hemiaminals
D. Jayaprakash, Y. Kobayashi, S. Watanabe, T. Arai and H. Sasai	1587	Enantioselective epoxidation of α,β-unsaturated ketones using polymer-supported lanthanoid–BINOL complexes
	A269	Stereochemistry abstracts
	I	Instructions to contributors
	V	Cumulative author index

NUMBER 12

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

A. Ichikawa, H. Ono and N. Harada 1593 Synthesis and analytical properties of (*S*)-(+)-2-methoxy-2-(9-phenanthryl)propionic acid

T. Hashimoto, Y. Tanaka and K. Maruoka 1599 Symmetrical 4,4′,6,6′-tetraarylbinaphthyl-substituted ammonium bromide as a new, chiral phase-transfer catalyst

S. Konishi, H. Hanawa and K. Maruoka 1603 Catalytic asymmetric methallylation and propargylation of aldehydes with bis(((*S*)-binaphthoxy)(isopropoxy)titanium) oxide

A. García Martínez, E. Teso Vilar, A. García Fraile, S. de la Moya Cerero and B. Lora Maroto 1607 First access to enantiopure C(7)-substituted fenchones: new norbornane-based chiral materials from the chiral pool

A. M. Segarra, F. Guirado, C. Claver and E. Fernandez 1611 Efficiency of natural bentonite versus synthetic organo(bis-silantriolates) as supports towards the heterogenisation of asymmetric hydroboration

ARTICLES

E. Arceo, J. M. Odriozola, J. M. García, A. González and P. Gil 1617 Asymmetric synthesis of (*R*)-4-hexanolide, the pheromone of *Trogoderma glabrum*

S. Toyota, T. Shimasaki, N. Tanifuji and K. Wakamatsu 1623 Experimental and theoretical investigations of absolute stereochemistry and chiroptical properties of enantiopure 2,2′-substituted 9,9′-bianthryls

K. Sakai, R. Sakurai, A. Yuzawa, Y. Kobayashi and K. Saigo 1631 Resolution of 3-(methylamino)-1-(2-thienyl)propan-1-ol, a new key intermediate for duloxetine, with (*S*)-mandelic acid

J.-P. Ebran, P. Jubault, X. Pannecoucke and J.-C. Quirion 1637 Diastereoselective synthesis of chiral non-racemic 2-substituted 2-boranatophosphino ethanoic acid: a potential intermediate to chiral ligands for asymmetric catalysis

R. A. Tromp, M. van der Hoeven, A. Amore, J. Brussee, M. Overhand, G. A. van der Marel and A. van der Gen 1645 Synthesis of Fmoc-protected (2*S*,3*S*)-2-hydroxy-3-amino acids from a furyl substituted chiral cyanohydrin

R. G. Soengas, J. C. Estévez, R. J. Estévez and M. A. Maestro 1653 Synthesis of polyhydroxylated α-nitrocyclohexane carboxylic acids derived from D-glucose: a striking case of racemization

M. Zaidlewicz, A. Tafelska-Kaczmarek, A. Prewysz-Kwinto and A. Chechlowska 1659 Asymmetric synthesis of (*S*)-bufuralol and a propafenone analogue

G. Rassu, L. Auzzas, V. Zambrano, P. Burreddu, L. Battistini and C. Curti 1665 A short entry to novel C(2)-methyl branched 4a-carbafuranoses

B. Thierry, J.-C. Plaquevent and D. Cahard 1671 Poly(ethylene glycol) supported *cinchona* alkaloids as phase transfer catalysts: application to the enantioselective synthesis of α-amino acids

M. Amat, C. Escolano, N. Llor, M. Huguet, M. Pérez and J. Bosch 1679 Stereoselective α-amidoalkylation reactions of phenylglycinol-derived bicyclic lactams

M. Calmès, F. Escale, M. Rolland and J. Martinez 1685 Diastereoselective esterification of (±)-*N*-trifluoroacetyl pipecolic acid using (*S*)-α-methyl pantolactone: synthesis of (*S*)-*N*-Boc pipecolic acid and (*S*)-*N*-Boc-2-piperidinemethanol

M. Amat, M.-D. Coll, N. Llor, C. Escolano, E. Molins, C. Miravitlles and J. Bosch 1691 Asymmetric synthesis of tetracyclic substructures of *Strychnos* indole alkaloids

S. Bastin, M. Ginj, J. Brocard, L. Pélinski and G. Novogrocki 1701 Chiral ferrocenyl amino alcohols for enantioselective additions of diethylzinc to aldehydes

S. Jarosz, K. Szewczyk and A. Zawisza 1709 Synthesis of highly oxygenated enantiomerically pure *cis*-bicyclo[4.3.0]-nonanes from secondary sugar allyltin derivatives

S. Jarosz, K. Szewczyk and A. Zawisza 1715 Synthesis and thermal stability of secondary sugar allyltin derivatives

G. de Gonzalo, R. Brieva, V. M. Sánchez, M. Bayod and V. Gotor 1725 Enzymatic alkoxycarbonylation reactions on the intermediate in the synthesis of (−)-paroxetine. *trans*-*N*-benzyloxycarbonyl-4-(4′-fluorophenyl)-3-hydroxymethylpiperidine

C. Bolm, T. Focken and G. Raabe 1733 Synthesis of iridium complexes with novel planar chiral chelating imidazolylidene ligands

S. Ferrer, M. Pastó, B. Rodríguez, A. Riera and M. A. Pericàs 1747 Chiral derivatives of semisquaric acid as new modular ligands for asymmetric catalysis

M. Kirihara, M. Kawasaki, T. Takuwa, H. Kakuda, T. Wakikawa, Y. Takeuchi and K. L. Kirk 1753 Efficient synthesis of (*R*)- and (*S*)-1-amino-2,2-difluorocyclopropanecarboxylic acid via lipase-catalyzed desymmetrization of prochiral precursors

A303 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 13

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

S. N. Joshi and S. V. Malhotra 1763 Enantioselective addition of diethylzinc to aldehydes catalyzed by a β-amino alcohol derived from (+)-3-carene

D. J. Chambers, G. R. Evans and A. J. Fairbanks 1767 A facile synthesis of 4,6-*O*-benzylidene glucal

K. M. Sureshan, T. Yamasaki, M. Hayashi and Y. Watanabe 1771 A simple and practical resolution of 1,2:4,5-di-*O*-isopropylidene-*myo*-inositol

ARTICLES

M. Ordóñez, A. González-Morales, C. Ruiz, R. De la Cruz-Cordero and M. Fernández-Zertuche 1775 Preparation of (*R*)- and (*S*)-γ-amino-β-hydroxypropylphosphonic acid from glycine

J. Xu, X. Su and Q. Zhang 1781 Preparation of highly enantiomerically pure linear secondary alcohols via asymmetric reduction of prochiral ketones with borane

A. Zampella, V. Sepe, R. D'Orsi, G. Bifulco, C. Bassarello and M. V. D'Auria 1787 Stereochemical assignment of the C23–C35 portion of sphinxolide/reidispongiolide class of natural products by asymmetric synthesis

S. Nanda and J. S. Yadav 1799 Asymmetric synthesis of unnatural (*Z*,*Z*,*E*)-octadecatrienoid and eicosatrienoid by lipoxygenase-catalyzed oxygenation

D. Guieysse, C. Salagnad, P. Monsan, M. Remaud-Simeon and V. Tran 1807 Towards a novel explanation of *Pseudomonas cepacia* lipase enantioselectivity via molecular modelling of the enantiomer trajectory into the active site

F. Bargiggia and O. Piva 1819 Anionic versus photochemical diastereoselective deconjugation of diacetone D-glucose α,β-unsaturated esters

M. Gulea, F. Hammerschmidt, P. Marchand, S. Masson, V. Pisljagic and F. Wuggenig 1829 Synthesis of chiral, nonracemic α-sulfanylphosphonates and derivatives

M. Drag, R. Latajka, E. Gumienna-Kontecka, H. Kozlowski and P. Kafarski — 1837 — Stereoselective synthesis, solution structure and metal complexes of (1*S*,2*S*)-2-amino-1-hydroxyalkylphosphonic acids

S. Aragonès, F. Bravo, Y. Díaz, Mª I. Matheu and S. Castillón — 1847 — Synthesis of amino-1,4-anhydro-D-pentitols and amino-1,5-anhydro-D-hexitols with the *arabino* configuration from (*R*)-glycidol

S. F. Oğuz and İ. Doğan — 1857 — Determination of energy barriers and racemization mechanisms for thermally interconvertable barbituric and thiobarbituric acid enantiomers

L. Su, X. Li, W. L. Chan, X. Jia and A. S. C. Chan — 1865 — Copper-catalyzed enantioselective conjugate addition of triethylaluminum to 2-cyclopentenone

F. Nomoto, Y. Hirayama, M. Ikunaka, T. Inoue and K. Otsuka — 1871 — A practical chemoenzymatic process to access (*R*)-quinuclidin-3-ol on scale

J.-P. Mazaleyrat, K. Wright, A. Gaucher, M. Wakselman, S. Oancea, F. Formaggio, C. Toniolo, V. Setnička, J. Kapitán and T. A. Keiderling — 1879 — Synthesis and conformational study of homo-peptides based on (*S*)-Bin, a C_2-symmetric binaphthyl-derived $C^{\alpha,\alpha}$-disubstituted glycine with only axial chirality

C. Paizs, P. Tähtinen, K. Lundell, L. Poppe, F.-D. Irimie and L. T. Kanerva — 1895 — Preparation of novel phenylfuran-based cyanohydrin esters: lipase-catalysed kinetic and dynamic resolution

A. Korostylev, D. Selent, A. Monsees, C. Borgmann and A. Börner — 1905 — Chiral pyrophosphites—synthesis and application as ligands in Rh(I)-catalyzed asymmetric hydrogenation

J. Le Bras and J. Muzart — 1911 — Amino acid/copper-catalyzed enantioselective allylic benzoyloxylation of olefins in water promoted by diethylene glycol

T. Bakó, P. Bakó, G. Keglevich, N. Báthori, M. Czugler, J. Tatai, T. Novák, G. Parlagh and L. Tőke — 1917 — Enantioselective Michael addition of 2-nitropropane to chalcone analogues catalyzed by chiral azacrown ethers based on α-D-glucose and D-mannitol

A. Magyar, B. Schönecker, J. Wölfling, G. Schneider, W. Günther and H. Görls — 1925 — Synthesis of *N*-[2-(2-pyridyl)ethyl]-17a-aza-D-homosteroids and their biomimetic copper-mediated ligand hydroxylations with molecular oxygen

E. Vaz, M. Fernandez-Suarez and L. Muñoz — 1935 — Determination of the absolute stereochemistry of Etzionin

C. Paizs, M. Toşa, V. Bódai, G. Szakács, I. Kmecz, B. Simándi, C. Majdik, L. Novák, F.-D. Irimie and L. Poppe — 1943 — Kinetic resolution of 1-(benzofuran-2-yl)ethanols by lipase-catalyzed enantiomer selective reactions

T. Lee and S. Kim — 1951 — Efficient preparation of enantiomerically pure (*E*)-4-(tributylstannanyl)but-3-en-2-ol via lipase-mediated resolution

A337 — Stereochemistry abstracts

I — Instructions to contributors

V — Cumulative author index

NUMBER 14

Contents

v — Contributors to this issue

vii — Graphical abstracts

COMMUNICATIONS

O. Prieto, D. J. Ramón and M. Yus — 1955 — Highly enantioselective arylation of ketones

A. García Martínez, E. Teso Vilar, A. García Fraile, S. de la Moya Cerero and B. Lora Maroto — 1959 — Synthesis and catalytic activity of 10-(aminomethyl)isoborneol-based catalysts: the role of the C(2)-group on the asymmetric induction

J. P. Cros, Y. Pérez-Fuertes, M. J. Thatcher, S. Arimori, S. D. Bull and T. D. James	1965	Non-linear effects operate and dynamic ligand exchange occurs when chiral BINOL–boron Lewis acids are used for asymmetric catalysis
J.-Y. Goujon, D. Gueyrard, P. Compain, O. R. Martin and N. Asano	1969	Ring-opening reactions of iminosugar-derived aziridines: application to the general synthesis of α-1-*C*-substituted derivatives of fagomine
T. Jerphagnon, J.-L. Renaud, P. Demonchaux, A. Ferreira and C. Bruncau	1973	Enantioselective hydrogenation of isomeric β-acetamido β-alkylacrylates: crucial influence of temperature
		ARTICLES
P. N. O'Shaughnessy and P. Scott	1979	Biaryl amine ligands for lanthanide catalysed enantioselective hydroamination/cyclisation of aminoalkenes
V. P. Krasnov, G. L. Levit, I. M. Bukrina, I. N. Andreeva, L. Sh. Sadretdinova, M. A. Korolyova, M. I. Kodess, V. N. Charushin and O. N. Chupakhin	1985	Kinetic resolution of (±)-2,3-dihydro-3-methyl-4*H*-1,4-benzoxazine, (±)-2-methyl-1,2,3,4-tetrahydroquinoline and (±)-2-methylindoline using *N*-tosyl-(*S*)-prolyl chloride
M. Hechavarría Fonseca, E. Eibler, M. Zabel and B. König	1989	Synthesis of novel nitrogen-containing ligands for the enantioselective addition of diethylzinc to aldehydes
C. Carter, S. Fletcher and A. Nelson	1995	Towards phase-transfer catalysts with a chiral anion: inducing asymmetry in the reactions of cations
P. Allevi and M. Anastasia	2005	A simple modular synthesis of pyridinoline a collagen cross-link of biochemical interest
T. I. Danilova, V. I. Rozenberg, E. V. Sergeeva, Z. A. Starikova and S. Bräse	2013	Novel chiral tridentate Schiff base ligands of the [2.2]paracyclophane series: synthesis and application
F. Busqué, M. Cantó, P. de March, M. Figueredo, J. Font and S. Rodríguez	2021	From *p*-benzoquinone to cyclohexane chirons: first asymmetric synthesis of (+)-rengyolone and (+)- and (−)-menisdaurilide
N. Casamitjana, M. Amat, N. Llor, M. Carreras, X. Pujol, M. Montserrat Fernández, V. López, E. Molins, C. Miravitlles and J. Bosch	2033	Diels–Alder reactions of phenylglycinol-derived bicyclic lactams. Enantiodivergent synthesis of *cis*-hydroisoquinolines
F. Molinari, R. Gandolfi, R. Villa, E. Urban and A. Kiener	2041	Enantioselective oxidation of prochiral 2-methyl-1,3-propandiol by *Acetobacter pasteurianus*
X. Cheng and K. K. Hii	2045	Unsymmetrical terdentate phosphorus-nitrogen-nitrogen (PNN) ligands: effect of the M/L ratio and the pendant group on stereoselectivity
L. M. Levy, J. R. Dehli and V. Gotor	2053	Lipase-catalysed resolution of cyclic *cis*- and *trans*-β-hydroxy esters
P. A. Levkin, Y. A. Strelenko, K. A. Lyssenko, V. Schurig and R. G. Kostyanovsky	2059	Temperature-dependent racemic compound-conglomerate crystallization of 2,3:6,7-dibenzobicyclo[3.3.1]nona-2,6-diene-4,8-dione
N. Jaber, F. Carrée, J.-C. Fiaud and J. Collin	2067	A new enantioselective Mannich-type reaction catalyzed by bis-binaphthoxy iodo samarium
X. Hu, H. Chen, H. Dai, X. Hu and Z. Zheng	2073	Synthesis of novel ferrocenylphosphine-amidine ligands with central and planar chirality and their diastereomeric effect in Pd-catalyzed asymmetric allylic alkylation
C.-Y. Chang and T.-K. Yang	2081	Synthesis of optically active α-aminobenzolactam via an oxidative–cyclization reaction
T. Matsuda, R. Kanamaru, K. Watanabe, T. Kamitanaka, T. Harada and K. Nakamura	2087	Control of enantioselectivity of lipase-catalyzed esterification in supercritical carbon dioxide by tuning the pressure and temperature
S. Raghavan, A. Rajender and J. S. Yadav	2093	Novel, efficient and stereospecific synthesis of *xylo*-(2*R*,3*S*,4*S*)-phytosphingosine and *threo*-(2*R*,3*R*)-sphingosine

B.-Y. He, T.-J. Wu, X.-Y. Yu and P.-Q. Huang 2101 A flexible non-amino acid-based formal asymmetric synthesis of naturally occurring (2*R*,3*S*)-2-aminotetradeca-5,7-dien-3-ol: observation of a remarkable protecting group effect

J. H. Lee, S. U. Son and Y. K. Chung 2109 Synthesis of novel planar chiral ferrocene and cyclopentadienyl manganese tricarbonyl derivatives and their use as chiral ligands in the palladium-catalyzed asymmetric allylic alkylation

A373 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 15

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATION

N. J. Gilmore and S. Jones 2115 Evaluating the role of solvent and borane on the enantioselectivity of the oxazaborolidine reduction of prochiral ketones using catalysts derived from *cis*-(1*R*,2*S*)-1-amino-indan-2-ol

ARTICLES

J. M. Wagner, C. J. McElhinny, Jr., A. H. Lewin and F. I. Carroll 2119 Stereospecific synthesis of amphetamines

C. G. Arena, V. Casilli and F. Faraone 2127 New chiral amino-phosphoramidite and bisphosphoramidite ligands derived from (*R*,*R*)-1,2-diaminocyclohexane: application in Cu-catalyzed asymmetric conjugate addition of diethylzinc to 2-cyclohexenone

Z.-L. Wu and Z.-Y. Li 2133 Enantioselective biotransformation of α,α-disubstituted dinitriles to the corresponding 2-cyanoacetamides using *Rhodococcus* sp. CGMCC 0497

A. Grandeury, S. Petit, G. Gouhier, V. Agasse and G. Coquerel 2143 Enantioseparation of 1-(*p*-bromophenyl)ethanol by crystallization of host–guest complexes with permethylated β-cyclodextrin: crystal structures and mechanisms of chiral recognition

S. Sugiyama, T. Inoue and K. Ishii 2153 One-pot acylation and fractional crystallization: preparation of optically active serinol monobenzoates

Mª A. Bonache, G. Gerona-Navarro, C. García-Aparicio, M. Alías, M. Martín-Martínez, Mª T. García-López, P. López, C. Cativiela and R. González-Muñiz 2161 Memory of chirality in the stereoselective synthesis of β-lactams: importance of the starting amino acid derivative

N. Oohara, K. Katagiri and T. Imamoto 2171 A novel P-chirogenic phosphine ligand, (*S*,*S*)-1,2-bis-[(ferrocenyl)methylphosphino]ethane: synthesis and use in rhodium-catalyzed asymmetric hydrogenation and palladium-catalyzed asymmetric allylic alkylation

H. Brunner, H. B. Kagan and G. Kreutzer 2177 Asymmetric catalysis. Part 153: Metal-catalysed enantioselective α-ketol rearrangement

F. Wang, S. H. Wang, Y. Q. Tu and S. K. Ren 2189 $AlEt_3$-promoted eliminative ring-opening of β-hydroxy epoxides: highly stereoselective synthesis of terminal α-hydroxy olefins

C. Jia, Y. Zhang and L. Zhang 2195 Highly stereoselective synthesis of a seven-membered carbasugar via triisobutylaluminium promoted Claisen rearrangement

R. Badorrey, C. Cativiela, M. D. Díaz-de-Villegas and J. A. Gálvez — 2201 — Efficient resolution of *rac*-2-cyano-2-methyl-3-phenylpropanoic acid. An appropriate starting material for the enantioconvergent synthesis of (*S*)-α-methylphenylalanine on a large laboratory scale

R. Badorrey, C. Cativiela, M. D. Díaz-de-Villegas, J. A. Gálvez and A. Gil — 2209 — Efficient enantioconvergent synthesis of (*S*)-α-benzyl-α-methyl-β-alanine from (*R*)- and (*S*)-2-cyano-2-methyl-3-phenylpropanoic acid

J. Bayardon, M. Cavazzini, D. Maillard, G. Pozzi, S. Quici and D. Sinou — 2215 — Chiral fluorous phosphorus ligands based on the binaphthyl skeleton: synthesis and applications in asymmetric catalysis

G. Bringmann, M. Breuning, R.-M. Pfeifer and P. Schreiber — 2225 — Atropo-enantioselective synthesis of a C_3-symmetric tripodal ligand with three axially chiral biaryl subunits

F. Meyer, A. Laaziri, A. M. Papini, J. Uziel and S. Jugé — 2229 — Efficient synthesis of β-halogeno protected L-alanines and their β-phosphonium derivatives

C.-Y. Chang and T.-K. Yang — 2239 — Asymmetric synthesis of ACE inhibitor-Benazepril HCl via a bioreductive reaction

M. Pallavicini, C. Bolchi, B. Moroni, E. Valoti and O. Piccolo — 2247 — Resolution of 1-phenyl-2-(*p*-tolyl)ethylamine via diastereomeric salt formation

E. Deniau, D. Enders, A. Couture and P. Grandclaudon — 2253 — A new synthetic route to highly enantioenriched 3-substituted-2,3-dihydro-1*H*-isoindol-1-ones

S. Tisse, V. Peulon-Agasse, H. Oulyadi, F. Marsais and J. C. Combret — 2259 — Selective access and full characterization of mono-acidic permethylated β-cyclodextrin derivatives and their methyl esters

A. Holmén, J. Oxelbark and S. Allenmark — 2267 — Direct determination of the absolute configuration of a cyclic thiolsulfinate by VCD spectroscopy

K. Kriis, T. Kanger, A.-M. Müürisepp and M. Lopp — 2271 — C_2-Symmetric bimorpholines as chiral ligands in the asymmetric hydrogenation of ketones

E. M. Sanchez Fernandez, J. I. Candela Lena, E. Altinel, N. Birlirakis, A. F. Barrero and S. Arseniyadis — 2277 — Lead tetraacetate mediated domino reactions on (*R*)-(−)-carvone-derived bicyclic unsaturated 1,2-diols and further rearrangements

L. Wang, W. H. Kwok, A. S. C. Chan, T. Tu, X. Hou and L. Dai — 2291 — Asymmetric hydroesterification of styrene using catalysts with planar-chiral ferrocene oxazoline ligands

A405 — Stereochemistry abstracts

I — Instructions to contributors

V — Cumulative author index

NUMBER 16

Contents

v — Contributors to this issue

vii — Graphical abstracts

TETRAHEDRON: ASYMMETRY REPORT NUMBER 59

O. B. Sutcliffe and M. R. Bryce — 2297 — Planar chiral 2-ferrocenyloxazolines and 1,1′-bis(oxazolinyl)ferrocenes—syntheses and applications in asymmetric catalysis

COMMUNICATIONS

G. J. A. Conceição, P. J. S. Moran and J. A. R. Rodrigues — 2327 — Homochiral (1*S*,2*R*)-1,2-indandiol from asymmetric reduction of 1,2-indanedione by resting cells of the yeast *Trichosporon cutaneum*

V. V. Dunina, E. D. Razmyslova, O. N. Gorunova, M. V. Livantsov and Y. K. Grishin — 2331 — Asymmetric exchange of cyclopalladated ligands with a high level of asymmetric induction: a new route to optically active phosphapalladacycles

V. Grosset, D. Danvy and M. Capet	2335	Determination of the absolute configuration of fasidotril, a potent dual ACE/NEP inhibitor
		ARTICLES
H. Nagatomo, Y. Matsushita, K. Sugamoto and T. Matsui	2339	Enantioselective reduction of γ-hydroperoxy-α,β-unsaturated carbonyl compounds catalyzed by lipid-coated peroxidase in organic solvents
A. Solís, H. Luna, H. I. Pérez and N. Manjarrez	2351	Evaluation of guanabana (*Annona muricata*) seed meal as a source of (*S*)-oxynitrilase
Y. Li, Y. Hu, Z. Xie and X. Chen	2355	Enantioselective total synthesis of chiricanine B
H. Nakano, J. Yokoyama, Y. Okuyama, R. Fujita and H. Hongo	2361	Novel chiral xylofuranose-based phosphinooxathiane and phosphinooxazinane ligands for palladium-catalyzed asymmetric allylations
R. D. Ionescu, A. Blom and T. Frejd	2369	Phenylalanine derivatives as catalysts in the enantioselective addition of diethylzinc to benzaldehydes
A. M. Scheppokat, M. Morita, J. Thiem and H. Bretting	2381	Enzymatic α(1 → 2)-L-fucosylation: investigation of the specificity of the α(1 → 2)-L-galactosyltransferase from *Helix pomatia*
L. Minuti, A. Taticchi, D. Lanari, A. Marrocchi and E. Gacs-Baitz	2387	Reactions of (*S*)-(+)-4-ethenyl[2.2]paracyclophane with heterocyclic quinones
A. Paju, T. Kanger, O. Niitsoo, T. Pehk, A.-M. Müürisepp and M. Lopp	2393	Asymmetric oxidation of 3-alkyl-1,2-cyclopentanediones. Part 3: Oxidative ring cleavage of 3-hydroxyethyl-1,2-cyclopentanediones: synthesis of α-hydroxy-γ-lactone acids and spiro-γ-dilactones
E. Brenna, C. Fuganti, F. G. Gatti, M. Passoni and S. Serra	2401	Enantioselective synthesis of benzylic stereocentres via Claisen rearrangement of enantiomerically pure allylic alcohols: preparation of (*R*)- and (*S*)-3-methyl-2-phenylbutylamine
F. Couty, G. Evano and N. Rabasso	2407	Synthesis of enantiopure azetidine 2-carboxylic acids and their incorporation into peptides
S. Acherar, G. Audran, N. Vanthuyne and H. Monti	2413	Use of lipase-catalyzed kinetic resolution for the enantioselective approach toward sesquiterpenes containing quaternary centers: the cuparane family
U. Chiacchio, L. Borrello, D. Iannazzo, P. Merino, A. Piperno, A. Rescifina, B. Richichi and G. Romeo	2419	Enantioselective synthesis of *N*,*O*-psiconucleosides
A. Wallner, H. Mang, S. M. Glueck, A. Steinreiber, S. F. Mayer and K. Faber	2427	Chemo-enzymatic enantio-convergent asymmetric total synthesis of (*S*)-(+)-dictyoprolene using a kinetic resolution—stereoinversion protocol
F. Zsila, Z. Bikádi and M. Simonyi	2433	Molecular basis of the Cotton effects induced by the binding of curcumin to human serum albumin
G. P. Aguado, A. G. Moglioni, B. N. Brousse and R. M. Ortuño	2445	Synthesis and diastereoselective catalytic hydrogenation of optically active cyclobutyl α,β-dehydro-α-dipeptides
G. Lesma, B. Danieli, D. Passarella, A. Sacchetti and A. Silvani	2453	New solution free and polymer anchored chiral bispidine-based amino alcohols. Synthesis and screening for the enantioselective addition of diethylzinc to benzaldehyde
S. Koul, R. Parshad, S. C. Taneja and G. N. Qazi	2459	Enzymatic resolution of naproxen
G. Delogu, M. A. Dettori, A. Patti, S. Pedotti, A. Forni and G. Casalone	2467	Stereoselective oxazaborolidine–borane reduction of biphenyl alkyl diketones–lignin models: enantiopure dehydrodiapocynol derivatives
S. Peters, F. W. Lichtenthaler and H. J. Lindner	2475	A 2-*C*-fructosyl-propanone locked in a 2,7-dioxabicyclo[3.2.1]octane framework
P. N. Liu, Y. C. Chen, X. Q. Li, Y. Q. Tu and J. G. Deng	2481	Dendritic catalysts for asymmetric transfer hydrogenation based (1*S*,2*R*)-norephedrine derived ligands
	A439	Stereochemistry abstracts
	I	Instructions to contributors
	V	Cumulative author index

NUMBER 17

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

K. Okrasa, E. Guibé-Jampel and M. Therisod 2487 Ionic liquids as a new reaction medium for oxidase–peroxidase-catalyzed sulfoxidation

R. Settambolo, G. Guazzelli, L. Mengali, A. Mandoli and R. Lazzaroni 2491 A new class of optically active pyrrole derivatives: (3*R*)-3-(pyrrol-1-yl)alk-1-enes from D-α-aminoacids

N. Kise, A. Fujimoto, N. Moriyama and N. Ueda 2495 Stereoselective intramolecular coupling of diaroylacetates of (1*R*,1′*R*)-*exo*,*exo*′-3,3′-biisoborneol by oxidation with Br_2

M. De Rosa, M. R. Acocella, R. Villano, A. Soriente and A. Scettri 2499 A convenient catalytic procedure for the highly enantioselective aldol condensation of *O*-silyldienolates

T. Mino, Y. Tanaka, T. Yabusaki, D. Okumura, M. Sakamoto and T. Fujita 2503 A C(aryl)–N(amine) bond atropisomeric aminophosphine: preparation and use as a ligand in a catalytic asymmetric allylic alkylation

ARTICLES

J. Yu, Z. Li, W. Lu, S. Zhang and M. Cai 2507 Novel stereoselective synthesis of 1-(β-D- and α-L-glycopyranosyl)-5-methyl-1*H*-1,2,4-triazoles

L. S. Santos, S. A. Fernandes, R. A. Pilli and A. J. Marsaioli 2515 A novel asymmetric reduction of dihydro-β-carboline derivatives using calix[6]arene/chiral amine as a host complex

F. Orsini and E. Di Teodoro 2521 A new Co(0) complex mediated synthesis of *C*-glycoside analogues

J. Duran, D. Oliver, A. Polo, J. Real, J. Benet-Buchholz and X. Fontrodona 2529 Synthesis and characterization of a new enantiopure hydroxylated phosphine, its rhodium(I) and (III) complexes and their performance in catalytic carbonylation

S. Kumar and U. Ramachandran 2539 Phase transfer catalyzed asymmetric alkylations of imine glycinamides

A. Ghanem and V. Schurig 2547 Entrapment of *Pseudomonas cepacia* lipase with peracetylated β-cyclodextrin in sol–gel: application to the kinetic resolution of secondary alcohols

M. Lämmerhofer, D. Hebenstreit, E. Gavioli, W. Lindner, A. Mucha, P. Kafarski and P. Wieczorek 2557 High-performance liquid chromatographic enantiomer separation and determination of absolute configurations of phosphinic acid analogues of dipeptides and their α-aminophosphinic acid precursors

R. Chênevert, G. Courchesne and D. Caron 2567 Chemoenzymatic enantioselective synthesis of the polypropionate acid moiety of dolabriferol

S. Diezi, A. Szabo, T. Mallat and A. Baiker 2573 Inversion of enantioselectivity in the hydrogenation of ketopantolactone on platinum modified by ether derivatives of cinchonidine

C. L. Romero Zaliz and O. Varela 2579 Straightforward synthesis of derivatives of D- and L-galactonic acids as precursors of stereoregular polymers

A. Kamal, K. V. Ramana, A. V. Ramana and A. H. Babu 2587 Chemoenzymatic enantioselective synthesis of 3-hydroxy-2-pyrrolidinones and 3-hydroxy-2-piperidinones

Z. Ma, J. Zhang and F. Kong 2595 Concise syntheses of β-GlcNAc*p*-(1→6)-α-Man*p*-(1→6)-Man*p* and its dimer, and β-GlcNAc*p*-(1→2)-α-Man*p*-(1→6)-Man*p*

V. Bódai, O. Orovecz, G. Szakács, L. Novák and L. Poppe 2605 Kinetic resolution of *trans*-2-acetoxycycloalkan-1-ols by lipase-catalysed enantiomerically selective acylation

G. G. Chilov, H. M. Moody, W. H. J. Boesten and V. K. Švedas 2613 Resolution of (*RS*)-phenylglycinonitrile by penicillin acylase-catalyzed acylation in aqueous medium

R. Green, P. J. M. Taylor, S. D. Bull, T. D. James, M. F. Mahon and A. T. Merritt 2619 A practical synthesis of enantiopure (*S*)-4-(4-hydroxybenzyl)-oxazolidin-2-one

S. Lebrun, A. Couture, E. Deniau and P. Grandclaudon — 2625 — Asymmetric synthesis of 5-arylmethylpyrrolidin-2-ones and 2-arylmethylpyrrolidines

N. Demirel and Y. Bulut — 2633 — Synthesis of chiral diaza 18-crown-6 ethers from chiral amines and molecular recognition of potassium and sodium salts of amino acids

R. Galeazzi, M. Garavelli, A. Grandi, M. Monari, G. Porzi and S. Sandri — 2639 — Unusual peptides containing the 2,6-diaminopimelic acid framework: Stereocontrolled synthesis, X-ray analysis, and computational modelling. Part 2

M. Tiecco, L. Testaferri, F. Marini, S. Sternativo, C. Santi, L. Bagnoli and A. Temperini — 2651 — Selenium-promoted synthesis of enantiomerically pure substituted morpholines starting from alkenes and chiral aminoalcohols

A459 — Stereochemistry abstracts

I — Instructions to contributors

V — Cumulative author index

NUMBER 18

Contents

v — Contributors to this issue

vii — Graphical abstracts

TETRAHEDRON: ASYMMETRY REPORT NUMBER 60

K. Nakamura, R. Yamanaka, T. Matsuda and T. Harada — 2659 — Recent developments in asymmetric reduction of ketones with biocatalysts

COMMUNICATION

H. B. Mereyala and P. Pola — 2683 — Resolution of 1-arylethylamines with 5-(1,2-*O*-isopropylidene-3,6-anhydro-α-D-glucofuranosyl) hydrogen phthalate

ARTICLES

X. Li, X. Jia, G. Lu, T. T.-L. Au-Yeung, K.-H. Lam, T. W. H. Lo and A. S. C. Chan — 2687 — Highly enantioselective hydrogenation of enamides catalyzed by rhodium-monodentate phosphoramidite complex derived from H_8-BINOL

V. Flores-Morales, M. Fernández-Zertuche and M. Ordóñez — 2693 — Highly diastereoselective addition of Et_2AlCN to β-keto amides derived from (*S*)-4-isopropyl-2-oxazolidinone

N. W. J. T. Heinsman, C. G. P. H. Schroën, A. van der Padt, M. C. R. Franssen, R. M. Boom and K. van't Riet — 2699 — Substrate sorption into the polymer matrix of Novozym 435® and its effect on the enantiomeric ratio determination

A. Magyar, B. Schönecker, J. Wölfling, G. Schneider, W. Günther and H. Görls — 2705 — Synthesis of 16,17-*seco*-steroids with iminomethyl-2-pyridine and aminomethylene-2-pyridine structures as chiral ligands for copper ions and molecular oxygen activation

U. Chiacchio, A. Corsaro, D. Iannazzo, A. Piperno, V. Pistarà, A. Rescifina, R. Romeo, G. Sindona and G. Romeo — 2717 — Diastereo- and enantioselective synthesis of *N,O*-nucleosides

M. Majerić Elenkov, Z. Hameršak and V. Šunjić — 2725 — Kinetic resolution of diastereomeric racemates of 7-bromo-3-(1′-hydroxyethyl)-1-methyl-5-(2′-pyridyl)-2,3-dihydro-1*H*-1,4-benzodiazepin-2-one by immobilized CAL-B

A. Lesac, S. Narančić, M. Šepelj, D. W. Bruce and V. Šunjić — 2731 — Synthesis of novel chiral dopants based on optically active *p*-substituted mandelic acids

N. V. Dubrovina, V. I. Tararov, A. Monsees, R. Kadyrov, C. Fischer and A. Börner — 2739 — Economic preparation of 1,3-diphenyl-1,3-bis(diphenylphosphino)propane: a versatile chiral diphosphine ligand for enantioselective hydrogenations

N. Monnier-Benoit, I. Jabin, M. Selkti, A. Tomas and G. Revial	2747	Michael reactions of unsubstituted aromatic chiral imines with substituted unsaturated acid esters
M. A. Baur, A. Riahi, F. Hénin and J. Muzart	2755	Catalytic asymmetric protonation of fluoro-enolic species: access to optically active 2-fluoro-1-tetralone
H.-J. Schanz, M. A. Linseis and D. G. Gilheany	2763	Improved resolution methods for (*R*,*R*)- and (*S*,*S*)-cyclohexane-1,2-diamine and (*R*)- and (*S*)-BINOL
Y. Hu, X. Liang, Z. Zheng and X. Hu	2771	Nonlinear effects in the enantioselective 1,4-conjugate addition of diethylzinc to chalcone
L. Minuti, A. Taticchi, D. Lanari, A. Marrocchi and E. Gacs-Baitz	2775	Synthesis of enantiopure helical cyclophanes containing five-membered heterocyclic rings
P. Ferraboschi, D. Colombo and P. Prestileo	2781	A convenient synthesis of oxandrolone through a regioselective *Candida antarctica* lipase-catalyzed transformation
W. Iwanek, M. Urbaniak, B. Gawdzik and V. Schurig	2787	Synthesis of enantiomerically and diastereomerically pure oxazaborolo-benzoxazaborininone derivatives of resorcinarene from L-proline
C. Nóbrega and J. T. Vázquez	2793	Conformational study of the hydroxymethyl group in α-D-mannose derivatives
J. Gerencsér, N. Báthori, M. Czugler, P. Huszthy and M. Nógrádi	2803	Synthesis of new optically active pyridino- and pyridono-18-crown-6 type ligands containing four lipophilic chains
V. Albrow, K. Biswas, A. Crane, N. Chaplin, T. Easun, S. Gladiali, B. Lygo and S. Woodward	2813	Synthesis of an octahydro-1,1′-binaphthyl thioether ligand and comparison with unhydrogenated binaphthyl analogues
W.-M. Dai, K. K. Y. Yeung, W. H. Leung and R. K. Haynes	2821	Air-stable *P*-stereogenic secondary phosphine oxides as chiral monodentate ligands for asymmetric catalytic carbon–carbon bond formation
R. Kawęcki	2827	New, recoverable and highly effective sulfinyl chiral auxiliary
C. Song, S. Jiang and G. Singh	2833	Synthesis of (6*S*)-6-fluoroshikimic acid
A. Kamal, M. Sandbhor, A. A. Shaik and V. Sravanthi	2839	One-pot synthesis and resolution of chiral allylic alcohols
	2845	Corrigendum
	A499	Stereochemistry abstracts
	I	Instructions to contributors
	V	Cumulative author index

NUMBER 19

Special Issue

Stereoselective Radical Reactions

Guest editor: Mukund P. Sibi

Department of Chemistry, North Dakota State University, Fargo, ND 58105, USA

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
	2847	Preface

COMMUNICATIONS

C. M. Jessop, A. F. Parsons, A. Routledge and D. J. Irvine	2849	Radical addition reactions of chiral phosphorus hydrides
G. K. Friestad, T. Jiang and G. M. Fioroni	2853	Tandem thiyl radical addition and cyclization of chiral hydrazones using a silicon-tethered alkyne
M. Ueda, H. Miyabe, A. Nishimura, H. Sugino and T. Naito	2857	Zinc-mediated radical reaction of glyoxylic oxime ether and hydrazone in aqueous media: asymmetric synthesis of α-amino acids
D. Crich, D.-H. Suk and S. Sun	2861	Highly diastereoselective radical cyclization of a glucose-derived enol ether radical cation/phosphate anion pair
J. Marco-Contelles, L. Domínguez, S. Anjum, P. Ballesteros, E. Soriano and D. Postel	2865	A free radical approach to the synthesis of the 1,7-dioxaspiro[4.4]nonane ring system from carbohydrate templates
E. J. Enholm, F. Allais and S. Bareyt	2871	Aldehyde–alkene cyclizations via *O*-stannyl ketyl radicals using sugars as chiral auxiliaries
K. Hiroi, M. Kaneko, M. Ishii and F. Kato	2875	Asymmetric radical carbon–carbon bond forming reactions in chiral amides and imides under sulfonyl groups stereocontrol
M. P. Sibi and G. Petrovic	2879	Enantioselective radical reactions: the use of metal triflimides as Lewis acids

ARTICLES

P. Garner, Ö. Şeşenoğlu and H. Burgoon	2883	A camphor-derived chiral auxiliary for hydroxyalkyl radicals
F. Brebion, M. Vitale, L. Fensterbank and M. Malacria	2889	Enantiopure alkylidene-1,1-bis-*p*-tolylsulfoxides as new partners in diastereoselective radical cyclizations
S. Kiyooka	2897	Diastereoselective radical debromination approach toward divergent syntheses of *syn*- and *anti*-propionate units, coupled with enantioselective and/or diastereoselective Lewis acid-promoted aldol reactions
H.-S. Oh and J. K. Cha	2911	Radical cyclization–fragmentation of ω-haloalkyl cyclobutanones: a modular approach to medium-sized carbocycles
A. K. Croft, C. J. Easton, K. Kociuba and L. Radom	2919	Strategic use of amino acid *N*-substituents to limit α-carbon-centered radical formation and consequent loss of stereochemical integrity
D. Yang, B.-F. Zheng, S. Gu, P. W. H. Chan and N.-Y. Zhu	2927	Diastereoselective atom transfer radical cyclization reactions of unsaturated α-bromo oxazolidinone imides catalyzed by Lewis acids
J. U. Rhee, B. I. Bliss and T. V. RajanBabu	2939	Stereochemical control in radical cyclization routes to *N*-glycosides: role of protecting groups and of the configuration (*E* versus *Z*) of the acceptors
A. M. Gómez, E. Moreno, G. O. Dancelón, S. Valverde and J. C. López	2961	Stereodivergent synthesis of 5a-carba-hexopyranoses from carbohydrates via 6-*exo*-*dig* radical cyclization: preparation of 5a-carba-β-D-manno-, α-D-allo-, β-L-talo- and α-L-gulopyranose pentaacetates from D-mannose
A. Srikrishna, R. Viswajanani and J. A. Sattigeri	2975	A radical cyclisation based cyclopentenone annulation of allyl alcohols
R. Pedrosa, C. Andrés, J. P. Duque-Soladana, A. Maestro and J. Nieto	2985	Regio- and diastereoselective tandem addition–carbocyclization promoted by sulfanyl radicals on chiral perhydro-1,3-benzoxazines
G. V. M. Sharma, Rakesh, A. S. Chander, V. G. Reddy, M. H. V. R. Rao and A. C. Kunwar	2991	Radical reactions on enol-esters: facile synthesis of 3-ulosonic acid derivatives and chiral spiroacetals
R. Nouguier, S. Gastaldi, D. Stien, M. Bertrand, F. Villar, O. Andrey and P. Renaud	3005	Synthesis of (±)- and (−)-botryodiplodin using stereoselective radical cyclizations of acyclic esters and acetals
J. Hartung and R. Kneuer	3019	Synthesis of enantiopure (2*R*)-configured muscarine alkaloids via selective alkoxyl radical ring-closure reactions

O. Tamura, T. Yanagimachi and H. Ishibashi — 3033 — Synthesis of (−)-aphanorphine using a sulfur-directed aryl radical cyclization

H. Sugimoto, S. Nakamura, Y. Watanabe and T. Toru — 3043 — Enantioselective hydrogen atom transfer to α-sulfonyl radicals controlled by selective coordination of a chiral Lewis acid to an enantiotopic sulfonyl oxygen

D. Dakternieks, V. T. Perchyonok and C. H. Schiesser — 3057 — Single enantiomer free-radical chemistry — Lewis acid-mediated reductions of racemic halides using chiral non-racemic stannanes

M. Blumenstein, M. Lemmler, A. Hayen and J. O. Metzger — 3069 — Enantioselective hydrogen transfer reactions from chiral binaphthyl variants of tin hydrides to prochiral radicals

A527 — Stereochemistry abstracts

I — Instructions to contributors

V — Cumulative author index

NUMBER 20

Contents

v — Contributors to this issue

vii — Graphical abstracts

3079 — Publisher's Announcement: Tetrahedron Prize 2003

TETRAHEDRON: ASYMMETRY REPORT NUMBER 61

C. Baudequin, J. Baudoux, J. Levillain, D. Cahard, A.-C. Gaumont and J.-C. Plaquevent — 3081 — Ionic liquids and chirality: opportunities and challenges

COMMUNICATION

U. Eilitz, F. Leßmann, O. Seidelmann and V. Wendisch — 3095 — Stereoselective Michael addition of trimethyl aluminium to nitro acrylates: a route to 2-methyl-3-amino propionic acid

ARTICLES

T. J. Wenzel, E. P. Amonoo, S. S. Shariff and S. E. Aniagyei — 3099 — Sulfated and carboxymethylated cyclodextrins and their lanthanide complexes as chiral NMR discriminating agents

R. N. Patel, L. Chu and R. Mueller — 3105 — Diastereoselective microbial reduction of (*S*)-[3-chloro-2-oxo-1-(phenylmethyl)propyl]carbamic acid, 1,1-dimethylethyl ester

M. G. Nascimento, S. P. Zanotto, S. P. Melegari, L. Fernandes and M. M. Sá — 3111 — Resolution of α-methylene-β-hydroxy esters catalyzed by free and immobilized *Pseudomonas* sp. lipase

F. Ceccacci, G. Mancini, P. Mencarelli and C. Villani — 3117 — Determination of the rotational barrier of a chiral biphenyl: Comparison of theoretical and experimental data

A. Y. Khimiuk, A. V. Korennykh, L. M. van Langen, F. van Rantwijk, R. A. Sheldon and V. K. Švedas — 3123 — Penicillin acylase-catalyzed peptide synthesis in aqueous medium: a chemoenzymatic route to stereoisomerically pure diketopiperazines

M. Sánchez-Aris, C. Estivill and A. Virgili — 3129 — Synthesis and structural study of the enantiomers of α,α′-bis(trifluoromethyl)-10,10′-(9,9′-bianthryl)dimethanol as a chiral solvating agent

F. Mercier, F. Brebion, R. Dupont and F. Mathey — 3137 — 1-Phosphanorbornadiene-imines and amines in enantioselective allylic *C*- and *N*-alkylation

C. Heindl, H. Hübner and P. Gmeiner — 3141 — Ex-chiral pool synthesis and receptor binding studies of 4-substituted prolinol derivatives

C. Heindl, H. Hübner and P. Gmeiner — 3153 — Enantiospecific synthesis and receptor binding of novel dopamine receptor ligands employing natural 4-hydroxyproline as a practical and flexible building block

A. J. Moreno-Vargas and P. Vogel	3173	Efficient resolution of *N*-Boc-7-azabicyclo[2.2.1]hept-5-en-2-one: formal syntheses of natural epibatidine and its enantiomer
D. I. MaGee, T. C. Mallais and M. Eic	3177	Asymmetric synthesis of chiral α-keto esters via Grignard addition to oxalates
D. S. Micalizzi, J. P. Dougherty, L. A. Noecker, G. R. Smith and R. M. Giuliano	3183	Synthesis of the polyketomycin disaccharide
M. Cambiè, P. D'Arrigo, E. Fasoli, S. Servi, D. Tessaro, F. Canevotti and L. Del Corona	3189	Chemo-enzymatic approach to D-allo-isoleucine
P. Ciuffreda, L. Alessandrini, G. Terraneo and E. Santaniello	3197	Lipase-catalyzed selective benzoylation of 1,2-diols with vinyl benzoate in organic solvents
M. Wielechowska and J. Plenkiewicz	3203	1-Alkylthio-3-aryloxypropan-2-ols: synthesis and enantiomer separation by lipase-catalyzed transesterification
Y. Liang, S. Gao, H. Wan, Y. Hu, H. Chen, Z. Zheng and X. Hu	3211	Development of new chiral *P,N* ligands and their applications in enantioselective 1,4-conjugate additions of diethylzinc to chalcones
S.-F. Zhu, Y. Fu, J.-H. Xie, B. Liu, L. Xing and Q.-L. Zhou	3219	Synthesis of chiral 4,4′-disubstituted 1,1′-spirobiindane-7,7′-diols and related phosphoramidites: the substituent effect of SIPHOS ligands in Rh-catalyzed asymmetric hydrogenation
M. E. Vargas-Díaz, L. Chacón-García, P. Velázquez, J. Tamariz, P. Joseph-Nathan and L. G. Zepeda	3225	Enantioselective synthesis of 1-alkyl-substituted 1-phenyl-1,2-ethanediols using a myrtenal-derived chiral auxiliary
T. R. Hoover and S. R. Hitchcock	3233	Oxadiazinones as chiral auxiliaries: diastereoselective aldol addition reactions of N_3-glycolyl-3,4,5,6-tetrahydro-2*H*-1,3,4-oxadiazin-2-ones
B. A. Ellsworth, A. G. Doyle, M. Patel, J. Caceres-Cortes, W. Meng, P. P. Deshpande, A. Pullockaran and W. N. Washburn	3243	*C*-Arylglucoside synthesis: triisopropylsilane as a selective reagent for the reduction of an anomeric *C*-phenyl ketal
F. A. Jaipuri, B. D. Bower and N. L. Pohl	3249	Protic acid-catalyzed polymerization of β-lactones for the synthesis of chiral polyesters
P. M. Donate, D. Frederico, R. da Silva, M. G. Constantino, G. Del Ponte and P. S. Bonatto	3253	Asymmetric synthesis of γ-butyrolactones by enantioselective hydrogenation of butenolides
	3257	Erratum
	3259	Corrigendum
	A559	Stereochemistry abstracts
	I	Tetrahedron: *Asymmetry* reports
	III	Instructions to contributors
	VII	Cumulative author index

NUMBER 21

Contents

v	Contributors to this issue
vii	Graphical abstracts
3261	Announcement – new Editor for *Tetrahedron Letters*

COMMUNICATIONS

C. Camara, L. Keller and F. Dumas — 3263 — Microwave activation of an asymmetric Michael reaction: unexpected behaviour of chiral α-alkoxy imines

C. Sanfilippo, G. Nicolosi, G. Delogu, D. Fabbri and M. A. Dettori — 3267 — Access to optically active 2,2′-dihydroxy-6,6′-dimethoxy-1,1′-biphenyl by a simple biocatalytic procedure

I. Janowska and J. Zakrzewski — 3271 — Circular dichroism spectra of planar chiral 2-substituted ferrocenecarboxaldehydes and 2-ferrocenyl-1,1-dicyanoethylenes

T. Yamagishi, M. Ohnuki, T. Kiyooka, D. Masui, K. Sato and M. Yamaguchi — 3275 — Construction of *P*-stereogenic center by selective ligation of N–P–N type ligands and application to asymmetric allylic substitution reactions

C. A. Ogle and J. B. Human — 3281 — Chiral lithiothiophenes as non-transferable ligands in organocuprate conjugate addition reactions

ARTICLES

T. Prisinzano, L.-W. Hsin, J. E. Folk, J. L. Flippen-Anderson, C. George, A. E. Jacobson and K. C. Rice — 3285 — A concise synthesis of (*S*)-(+)-1-(4-{2-[bis-(4-fluorophenyl)methoxy]-ethyl}-piperazin-1-yl)-2-phenylpropan-2-ol dimaleate

A. L. Braga, R. M. Rubim, H. S. Schrekker, L. A. Wessjohann, M. W. G. de Bolster, G. Zeni and J. A. Sehnem — 3291 — The facile synthesis of chiral oxazoline catalysts for the diethylzinc addition to aldehydes

Z. Guangyou, L. Yuquing, W. Zhaohui, H. Nohira and T. Hirose — 3297 — Resolution of β-aminoalcohols and 1,2-diamines using fractional crystallization of diastereomeric salts of dehydroabietic acid

A. Breuning, R. Vicik and T. Schirmeister — 3301 — An improved synthesis of aziridine-2,3-dicarboxylates via azido alcohols—epimerization studies

S. Serra, E. Brenna, C. Fuganti and F. Maggioni — 3313 — Lipase-catalyzed resolution of *p*-menthan-3-ols monoterpenes: preparation of the enantiomer-enriched forms of menthol, isopulegol, *trans*- and *cis*-piperitol, and *cis*-isopiperitenol

B. F. Bonini, M. Fochi, M. Comes-Franchini, A. Ricci, L. Thijs and B. Zwanenburg — 3321 — Synthesis of ferrocenyl-oxazolines by ring expansion of *N*-ferrocenoyl-aziridine-2-carboxylic esters

M. Tollabi, E. Framery, C. Goux-Henry and D. Sinou — 3329 — Palladium-catalyzed asymmetric allylic alkylation using chiral glucosamine-based monophosphines

J. Pawłowska, Z. Czarnocki, K. Wojtasiewicz and J. K. Maurin — 3335 — Stereoselective synthesis of (*R*)-(−)-mianserin

A. Kłys, J. Zakrzewski and L. Jerzykiewicz — 3343 — Resolution and determination of the absolute configuration of 3,3′,4,4′-tetramethyl-1,1′-diphosphaferrocene-2-carboxaldehyde

M. Li, K. Yuan, Y.-Y. Li, B.-X. Cao, J. Sun and X.-L. Hou — 3347 — On the role of planar chirality in asymmetric catalysis: Improvement of enantioselectivity in the addition of diethylzinc to aldehydes with planar chiral 1,1′-*N*,*O*-ferrocenyl ligands

R. Galeazzi, G. Martelli, G. Mobbili, M. Orena and S. Rinaldi — 3353 — Synthesis of a conformationally restricted analog of pregabalin by stereoselective alkylation of a chiral pyrrolidin-2-one

A. E. Wróblewski and A. Hałajewska-Wosik — 3359 — An efficient synthesis of an enantiomerically pure phosphonate analogue of L-GABOB

M. Toffano, B. Dudot, A. Zaparucha, J. Royer, M. Sevrin, P. George and A. Chiaroni — 3365 — Asymmetric routes towards polyfunctionalized pyrrolidines: application to the synthesis of alkaloid analogues

C. Della Monica, N. Maulucci, F. De Riccardis and I. Izzo — 3371 — Asymmetric synthesis of (3*S*,4*R*,7*S*)-(−)-3-hydroxy-7-methoxy-2,2,4-trimethyl-decanoic acid, a plausible polyketide fragment of halipeptin A

P. Kiełbasiński, R. Żurawiński, M. Albrycht and M. Mikołajczyk — 3379 — The first enzymatic desymmetrizations of prochiral phosphine oxides

F. Felluga, G. Pitacco, E. Valentin, A. Coslanich, M. Fermeglia, M. Ferrone and S. Pricl — 3385 — Studying enzyme enantioselectivity using combined ab initio and free energy calculations: α-chymotrypsin and methyl *cis*- and *trans*-5-oxo-2-pentylpirrolidine-3-carboxylates

N. Franceschini, S. Da Nascimento, P. Sonnet and D. Guillaume — 3401 — Efficient enantioselective synthesis of 2-substituted thiomorpholin-3-ones

M. Shi and W. Zhang — 3407 — Chiral C_1-symmetric diaminothiophosphoramide–Cu(I) catalyzed asymmetric addition of diethylzinc to *N*-sulfonylimines

X. Hu, H. Chen, H. Dai and Z. Zheng — 3415 — Synthesis of novel P-ketimine bidentate ferrocenyl ligands with central and planar chirality and comparsion in the catalytic activity between P-ketimine and P-aldimine

3423 — Erratum

A613 — Stereochemistry abstracts

I — Instructions to contributors

V — Cumulative author index

NUMBER 22

Special Issue

Asymmetric Synthesis on a Process Scale

Guest editors: Joseph D. Armstrong, III,[a] Michael J. Martinelli[b] and Chris Senanayake[c]

[a]*Merck Research Laboratories, Rahway, NJ, USA*
[b]*Amgen Chemistry Research, Thousand Oaks, CA, USA*
[c]*Boehringer-Ingelheim Pharmaceuticals, Ridgefield, CT, USA*

Contents

v — Contributors to this issue

vii — Graphical abstracts

3425 — Preface

COMMUNICATIONS

L. DiMichele, S. A. King and A. W. Douglas — 3427 — Assignment of the structure of a Ru(II)–BINAP catalyst

C. J. Cobley, E. Foucher, J.-P. Lecouve, I. C. Lennon, J. A. Ramsden and G. Thominot — 3431 — The synthesis of S 18986, a chiral AMPA receptor modulator, via catalytic asymmetric hydrogenation

ARTICLES

N. Zheng, J. D. Armstrong, III, K. K. Eng, J. Keller, T. Liu, R. Purick, J. Lynch, F. W. Hartner and R. P. Volante — 3435 — A convergent asymmetric synthesis of a growth hormone secretagogue

M. Zhang, L. Zhu and X. Ma — 3447 — An efficient enantioselective synthesis of an indane acetic acid derivative: methyl (2*S*)-2-[(1*S*)-5-hydroxy-2,3-dihydro-1*H*-inden-1-yl]butanoate

C. Bolm, I. Schiffers, I. Atodiresei and C. P. R. Hackenberger — 3455 — An alkaloid-mediated desymmetrization of *meso*-anhydrides via a nucleophilic ring opening with benzyl alcohol and its application in the synthesis of highly enantiomerically enriched β-amino acids

M. Bänziger, J. Cercus, H. Hirt, K. Laumen, C. Malan, F. Spindler, F. Struber and T. Troxler	3469	The development of a practical synthesis of the potent and selective somatostatin sst_3 receptor antagonist [4-(3,4-difluoro-phenyl)-piperazine-1-yl] -{(4*S*,4a*S*,8a*R*)-2[(*S*)-3-(6-methoxy-pyridin-3-yl)-2-methyl-propyl]-decahydroisoquinoline-4-yl}-methanone (NVP-ACQ090)
P. G. H. Uiterweerd, M. van der Sluis, B. Kaptein, B. de Lange, R. M. Kellogg and Q. B. Broxterman	3479	(*S*)-1-Aminoindane: synthesis by chirality transfer using (*R*)-phenylglycine amide as chiral auxiliary
G. J. Tanoury, R. Hett, H. S. Wilkinson, S. A. Wald and C. H. Senanayake	3487	Total synthesis of (2*R*,4*S*,2′*S*,3′*R*)-hydroxyitraconazole: implementations of a recycle protocol and a mild and safe phase-transfer reagent for preparation of the key chiral units
N. K. Yee, L. J. Nummy, R. P. Frutos, J. J. Song, E. Napolitano, D. P. Byrne, P.-J. Jones and V. Farina	3495	Practical synthesis of a cell adhesion inhibitor by self-regeneration of stereocenters
R. N. Farr, R. J. Alabaster, J. Y. L. Chung, B. Craig, J. S. Edwards, A. W. Gibson, G.-J. Ho, G. R. Humphrey, S. A. Johnson and E. J. J. Grabowski	3503	Enantiospecific and regioselective opening of 2-alkyl nosylaziridines by indoles mediated by boron trifluoride. Application to a practical synthesis of a GnRH antagonist
M. Couturier, J. L. Tucker, B. M. Andresen, K. M. DeVries, B. C. Vanderplas and F. Ito	3517	Efficient synthesis of the κ-opioid receptor agonist CJ-15,161: four stereospecific inversions at a single aziridinium stereogenic center
T. Ito, T. Ikemoto, T. Yamano, Y. Mizuno and K. Tomimatsu	3525	Practical synthesis of (*R*)-(+)-6-(1,4-dimethoxy-3-methyl-2-naphthyl)-6-(4-hydroxyphenyl)hexanoic acid: a key intermediate for a therapeutic drug for neurodegenerative diseases
J. García, S. Fernández, M. Ferrero, Y. S. Sanghvi and V. Gotor	3533	Novel enzymatic synthesis of levulinyl protected nucleosides useful for solution phase synthesis of oligonucleotides
D. M. Barnes, L. Bhagavatula, J. DeMattei, A. Gupta, D. R. Hill, S. Manna, M. A. McLaughlin, P. Nichols, R. Premchandran, M. W. Rasmussen, Z. Tian and S. J. Wittenberger	3541	A highly diastereoselective vinylogous Mannich condensation and 1,4-conjugate addition of (*Z*)-propenyl cuprate in the synthesis of an influenza neuraminidase inhibitor
Z. Han, D. Krishnamurthy, Q. K. Fang, S. A. Wald and C. H. Senanayake	3553	New resolution approach for large-scale preparation of enantiopure didesmethylsibutramine (DDMS)
D. R. Gauthier, Jr., N. Ikemoto, F. J. Fleitz, R. H. Szumigala, Jr., D. Petrillo, J. Liu, R. A. Reamer, J. D. Armstrong, III, P. M. Yehl, N. Wu and R. P. Volante	3557	Total synthesis of a second generation HIV protease inhibitor
J. H. Simpson, J. Godfrey, R. Fox, A. Kotnis, D. Kacsur, J. Hamm, M. Totelben, V. Rosso, R. Mueller, E. Delaney and R. P. Deshpande	3569	A pilot-scale synthesis of (1*R*)-*trans*-2-(2,3-dihydro-4-benzofuranyl)cyclopropanecarboxylic acid: a practical application of asymmetric cyclopropanation using a styrene as a limiting reagent
N. W. Boaz, S. D. Debenham, S. E. Large and M. K. Moore	3575	The preparation of enantiomerically pure cyclopropylalanine
K. B. Hansen, J. R. Chilenski, R. Desmond, P. N. Devine, E. J. J. Grabowski, R. Heid, M. Kubryk, D. J. Mathre and R. Varsolona	3581	Scalable, efficient process for the synthesis of (*R*)-3,5-bistrifluoromethylphenyl ethanol via catalytic asymmetric transfer hydrogenation and isolation as a DABCO inclusion complex
J. F. Larrow, K. E. Hemberger, S. Jasmin, H. Kabir and P. Morel	3589	Commercialization of the hydrolytic kinetic resolution of racemic epoxides: toward the economical large-scale production of enantiopure epichlorohydrin
X. Su, N. N. Bhongle, D. Pflum, H. Butler, S. A. Wald, R. P. Bakale and C. H. Senanayake	3593	A large-scale asymmetric synthesis of (*S*)-cyclohexylphenyl glycolic acid
M. P. Doyle and J. T. Colyer	3601	Synthesis of dirhodium(II) tetrakis[methyl 1-(3-phenylpropanoyl)-2-oxaimidazolidine-4(*S*)-carboxylate]. Rh_2(4*S*-MPPIM)$_4$

P. Wipf, J. G. Pierce and X. Wang — 3605 — Investigation of ligand loading and asymmetric amplification in CHAOx-catalyzed asymmetric diethylzinc additions

P. A. Evans, D. K. Leahy and L. M. Slieker — 3613 — Halide ion effects in the rhodium-catalyzed allylic substitution reaction using copper(I) alkoxides and enolates

K. M. Miller, C. Molinaro and T. F. Jamison — 3619 — Catalytic reductive carbon–carbon bond-forming reactions of alkynes

R. Barrett, D. M. Caine, K. S. Cardwell, J. W. B. Cooke, R. M. Lawrence, P. Scott and Å. Sjolin — 3627 — A practical, two-stage preparation of benzyl (3*R*)-3-amino-2-oxo-1-pyrrolidinecarboxylate (2*S*,3*S*)-2,3-bis[(4-methylbenzoyl)oxy]butanediote (2:1)

D. E. White and E. N. Jacobsen — 3633 — New oligomeric catalyst for the hydrolytic kinetic resolution of terminal epoxides under solvent-free conditions

A645 — Stereochemistry abstracts

I — Instructions to contributors

V — Cumulative author index

NUMBER 23

Contents

v — Contributors to this issue

vii — Graphical abstracts

COMMUNICATIONS

J.-M. Lee, H.-S. Lim, K.-C. Seo and S.-K. Chung — 3639 — A practical diastereoselective synthesis of β-amino-α-hydroxy carboxylates

P. Kwiatkowski, E. Wojaczyńska and J. Jurczak — 3643 — (Salen)Co(II) complex—an efficient catalyst for the high-pressure Friedel–Crafts reaction of 2-methylfuran with alkyl glyoxylates

A. Mandoli, M. Calamante, B. L. Feringa and P. Salvadori — 3647 — An insoluble polymer-bound phosphoramidite for the copper-catalysed enantioselective 1,4-addition of $ZnEt_2$ to 2-cyclohexenone

ARTICLES

C.-P. Du, J.-S. You, X.-Q. Yu, C.-L. Liu, J.-B. Lan and R.-G. Xie — 3651 — Homochiral molecular tweezers as hosts for the highly enantioselective recognition of amino acid derivatives

D. Xu, Z. Li and S. Ma — 3657 — Novozym-435-catalyzed efficient preparation of (1*S*)-ethenyl and ethynyl 2,3-allenols and (1*R*)-ethenyl and ethynyl 2,3-allenyl acetates with high enantiomeric excess

F.-E. Chen, H.-F. Dai, Y.-Y. Kuang and H.-Q. Jia — 3667 — Synthetic studies on *d*-biotin. Part 7: A practical asymmetric total synthesis of *d*-biotin via enantioselective reduction of *meso*-cyclic imide catalyzed by oxazborolidine

R. N. Patel, J. Howell, R. Chidambaram, S. Benoit and J. Kant — 3673 — Enzymatic preparation of (3*R*)-*cis*-3-acetyloxy-4-(1,1-dimethylethyl)-2-azetidinone: a side-chain synthon for an orally active taxane

J. M. Palomo, G. Fernández-Lorente, M. L. Rúa, J. M. Guisán and R. Fernández-Lafuente — 3679 — Evaluation of the lipase from *Bacillus thermocatenulatus* as an enantioselective biocatalyst

Y. Caro, M. Torrado, C. F. Masaguer and E. Raviña — 3689 — Kinetic resolution of 3-hydroxymethylbenzocycloalkanols by selective asymmetric hydrogen-transfer oxidation

C. Fava, R. Galeazzi, G. Mobbili and M. Orena — 3697 — Stereoselective reductive amination of chiral *trans*-3-acetyl-4-alkylpyrrolidin-2-ones

G. Guillena, R. Kreiter, R. van de Coevering, R. J. M. Klein Gebbink, G. van Koten, P. Mazón, R. Chinchilla and C. Nájera	3705	Chiroptical properties and applications in PTC of new dendritic cinchonidine-derived ammonium salts
K. Sakai, R. Sakurai, A. Yuzawa and N. Hirayama	3713	Practical continuous resolution of α-amino-ε-caprolactam by diastereomeric salt formation using a single resolving agent with a solvent switch method
A. Schmitzer, E. Perez, I. Rico-Lattes and A. Lattes	3719	Mechanistic study of the enantioselective reduction of ketones in the presence of glycodendrimers
P. Merino, S. Franco, F. L. Merchan, P. Romero, T. Tejero and S. Uriel	3731	1,3-Dipolar cycloaddition between *N*-benzyl-*C*-glycosyl nitrones and methyl acrylate en route to glycosyl pyrrolidines
J. Varga, J. Rábai, F. Ruff, Á. Kucsman, E. Vass, M. Hollósi and D. Szabó	3745	Synthesis and hydrolysis of optically active naphthyl-phenyl-bis(acyloxy)spiro-λ^4-sulfane: absolute configurations of spiro-λ^4-sulfanes, related sulfonium salts and naphthyl phenyl sulfoxides determined by CD spectroscopy using exciton chirality and empirical rules
A. J. Bustillo, C. M. García-Pajón, J. Aleu, R. Hernández-Galán and I. G. Collado	3755	Studies on biotransformation of (±)-1-(4′-chlorophenyl)-2-phenylethanol
J. G. Fernández-Bolaños, S. García, J. Fernández-Bolaños, Mª J. Diánez, Mª D. Estrada, A. López-Castro and S. Pérez-Garrido	3761	Synthesis of 4-*C*-sulfoaminosugar derivatives: isomerization of 4-*C*-sulfogalactosamine to its *gluco* epimer
S. Chandrasekhar, G. Kulkarni, M. B and T. N. G. Row	3769	A complex of Ph_3PO with a chiral hydrogen-bond donor: X-ray crystal structures of the complexes with (*RS*)-(±)- and (*S*)-(−)-1,1′-bi-2,2′-naphthol: homochiral Ph_3PO
A. R. Hergueta, C. López, F. Fernández, O. Caamaño and J. M. Blanco	3773	Synthesis of two enantiomerically pure precursors of cyclobutane carbocyclic nucleosides
C. Bolchi, L. Fumagalli, B. Moroni, M. Pallavicini and E. Valoti	3779	A short entry to enantiopure 2-substituted 1,4-benzodioxanes by efficient resolution methods
J. A. Moreira and A. G. Corrêa	3787	Enantioselective synthesis of three stereoisomers of 5,9-dimethylpentadecane, sex pheromone component of *Leucoptera coffeella*, from (−)-isopulegol
G. Kumaraswamy, M. N. V. Sastry, N. Jena, K. R. Kumar and M. Vairamani	3797	Enantioenriched (*S*)-6,6′-diphenylBinol-Ca: a novel and efficient chirally modified metal complex for asymmetric epoxidation of α,β-unsaturated enones
Z. Cs. Gyarmati, A. Liljeblad, M. Rintola, G. Bernáth and L. T. Kanerva	3805	Lipase-catalyzed kinetic resolution of 7-, 8- and 12-membered alicyclic β-amino esters and *N*-hydroxymethyl-β-lactam enantiomers
Y. Turgut and H. Hoşgören	3815	Synthesis of chiral monoaza-15-crown-5 ethers from L-valinol and the enantiomeric recognition of chiral amines and their perchlorates salts
	A669	Stereochemistry abstracts
	I	Instructions to contributors
	V	Cumulative author index

NUMBER 24

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATIONS
X. Li, L.-F. Cun, L.-Z. Gong, A.-Q. Mi and Y.-Z. Jiang	3819	The enantioselective diethylzinc addition to imines catalyzed by chiral Cu(II)–oxazoline complexes

B. Breit and A. Ch. Laungani	3823	Copper-catalyzed enantioselective conjugate addition of dialkylzinc reagents to enones with new peptidyl phosphane ligands
S. Orlandi, M. Caporale, M. Benaglia and R. Annunziata	3827	Synthesis of new enantiomerically pure C_1- and C_2-symmetric *N*-alkyl-benzimidazolium and thiazolium salts
		ARTICLES
D. F. A. Hunter and G. W. J. Fleet	3831	Towards hydroxylated nylon 6: oligomers from a protected 6-amino-6-deoxy-D-allonate
D. M. Hodgson, D. A. Selden and A. G. Dossetter	3841	Synthesis and evaluation of 4,4',6,6'-tetrasubstituted binaphtholphosphate dirhodium(II) complexes as catalysts in enantioselective carbonyl ylide formation–cycloaddition reactions
G. Asensio, A. Cuenca, N. Rodriguez and M. Medio-Simón	3851	Synthesis of an enantiopure 2-arylcyclohexanols from prochiral enol acetates by an enantioselective protonation/diastereoselective reduction sequence
M. Attolini, G. Iacazio, G. Peiffer and M. Maffei	3857	Enzymatic resolution of 3-bromo-cyclohept-2-enol: application to the determination of the absolute configuration of diethyl (3-hydroxy-cyclohept-1-enyl)phosphonate
A. Kamal, M. Sandbhor, K. Ahmed, S. F. Adil and A. A. Shaik	3861	Chemoenzymatic synthesis of enantiomerically pure terminal 1,2-diols
W.-J. Shi, L.-X. Wang, Y. Fu, S.-F. Zhu and Q.-L. Zhou	3867	Highly regioselective asymmetric copper-catalyzed allylic alkylation with dialkylzincs using monodentate chiral spiro phosphoramidite and phosphite ligands
P. Scafato, S. Labano, G. Cunsolo and C. Rosini	3873	Catalytic enantioselective conjugate addition of dialkyl zinc reagents to α,β-unsaturated ketones mediated by new phosphite ligands containing binaphthalene/1,2-diphenylethane moieties: a practical synthesis of (*R*)-(−)-muscone
T. Harada, S. Matsui, T. M. T. Tuyet, M. Hatsuda, S. Ueda, A. Oku and M. Shiro	3879	Asymmetric synthesis of macrocyclic binaphthol dimers using a Sonogashira coupling reaction
T. Klomklao, S. G. Pyne, A. Baramee, B. W. Skelton and A. H. White	3885	Chemo-enzymatic synthesis of (−)-epipentenomycin I
C. Rabeyrin and D. Sinou	3891	Catalytic asymmetric alkylation in water in the presence of surfactants: influence of the nature of the nucleophile and the allylic acetate on the activity and enantioselectivity
G. V. M. Sharma, A. Begum, K. R. Reddy, A. Ravi Sankar and A. C. Kunwar	3899	Highly stereoselective synthesis of furano-oxepanes: intramolecular nitrone cycloaddition (INC) reactions on sugar derived 2-substituted allylic ethers
Y. Hu, X. Liang, J. Wang, Z. Zheng and X. Hu	3907	Highly enantioselective 1,4-conjugate addition of diethylzinc to acyclic enones with chiral phosphite–pyridine ligands derived from H_8-NOBIN
A. Mezzetti, C. Keith and R. J. Kazlauskas	3917	Highly enantioselective kinetic resolution of primary alcohols of the type Ph-X-CH(CH_3)-CH_2OH by *Pseudomonas cepacia* lipase: effect of acyl chain length and solvent
C. C. C. R. de Carvalho and M. M. R. da Fonseca	3925	Towards the bio-production of *trans*-carveol and carvone from limonene: induction after cell growth on limonene and toluene
I. Izquierdo, M. T. Plaza and F. Franco	3933	Polyhydroxylated pyrrolizidines. Part 3: A new and short enantiospecific synthesis of (+)-hyacinthacine A_2
Z. Yang, Z. Zhou, K. He, L. Wang, G. Zhao, Q. Zhou and C. Tang	3937	Synthesis of some new chiral cyclic *o*-hydroxylarylphosphonodiamides as ligands for asymmetric silylcyanation of aromatic aldehydes
T. Ema, M. Kageyama, T. Korenaga and T. Sakai	3943	Highly enantioselective lipase-catalyzed reactions at high temperatures up to 120°C in organic solvent
P. Del Buttero, G. Molteni and A. Papagni	3949	Stereoselective synthesis of 3-amino-4-substituted-2-azetidinones via [2+2] cycloadditions of tricarbonyl(η⁶arene)chromium(0) complexed imines

R. G. Soengas, J. C. Estévez and R. J. Estévez	3955	Total synthesis of 3,4-dihydroxyprolines, D-*threo*-L-norvaline and (2*S*,3*R*,4*R*)-2-amino-3,4-dihydroxytetrahydrofuran-2-carboxylic acid methyl ester
S. Gyónfalvi, Z. Szakonyi and F. Fülöp	3965	Synthesis and transformation of novel cyclic β-amino acid derivatives from (+)-3-carene
F. W. Lichtenthaler, J. Klotz and K. Nakamura	3973	(−)-Daucic acid: Proof of D-*lyxo* configuration, synthesis of its D-*ribo*, D-*xylo*, L-*arabino* and L-*lyxo* analogs, and biosynthetic implications
	A709	Stereochemistry abstracts
	I	Instructions to contributors
	V	Author index 2003
	XXIII	Volume contents 2003